
MOORE PUBLIC SCHOOLS -
ASC BOARDROOM and STORM SHELTER BUILDING
Moore Public Schools - Moore, Oklahoma
AGP - Moore, Oklahoma

ADDENDUM NO. 2
November 4, 2026



This addendum applicable to work designated herein, shall be understood to be an Addendum, and as such shall be included in the Contract Agreement.

Receipt of this Addendum shall be acknowledged by the Construction Management Firm notifying this office in writing, and by any applicable subcontractor to the CM.

This addendum consists of four (4) pages with attachments of thirteen (13) 8.5″x11″ pages and twenty-four (24) 24″x36″ sheets.

A. Drawings:

General

1. Cover Sheet: change sheet C900 name to “SITE DETAILS” in lieu of title noted. Refer to new attached replacement drawing.

Civil

1. Sheet A900, Site Details: revised sheet as per new attached replacement drawing.

2. Sheet A901, Detail 8, Flagpole Base Detail: omit detail. Refer to new attached replacement drawing.

3. Sheet A902, Sign Location Plan & Details: refer to new sheet for site sign relocation and replacement / editing. Refer to new attached replacement drawing.

Structural

No changes.

Architectural

1. Sheet A101, Detail #1, Floor Plan: revise display cabinets at east wall of Lobby, Room #2. Refer to new attached replacement drawing.

2. Sheet A102, Detail #4, Enlarged Floor Plan Room #2: added enlarged floor plan as per attached revised drawing.

3. Sheet A103, Detail #1, Terrazzo & Carpet Design Plan: revise display cabinets at east wall of Lobby, Room #2. Refer to new attached replacement drawing.

4. Sheet A104, Detail #1, Reflected Ceiling Plan: revise ceiling at display area at east wall of Lobby, Room #2. Refer to new attached replacement drawing.

5. Sheet A105, Detail #1, Roof Plan / new Detail #2, Parapet Safety Railing: provide fall protection railing at west side of roof hatch to meet all applicable codes and standards and added roof top units with walkway pads indicated. Refer to new attached replacement drawing.

6. Sheet A201, Detail #1, East Elevation: add building identification letters "BUILDING 500" where noted on revised elevation. Refer to new attached replacement drawing.

7. Sheet A302, Details # 1 & 2, Wall Sections: added wood veneer panel notes to walls. Refer to new attached replacement drawing.

8. Sheet A303, Details # 2 & 3, Wall Sections: added wood veneer panel notes to walls. Refer to new attached replacement drawing.

9. Sheet A306, Details # 1 & 3, Wall Sections: added ceramic wall tile panel notes to walls. Refer to new attached replacement drawing

10. Sheet A402, Details #1 & 3, Ramp / Platform Sections: noted wood veneer panels and applicable color. Refer to new attached replacement drawing.

11. Sheet A403, Detail #1, West Elevation Room #6: add precast aluminum letters to curved wall behind board member's counter. Refer to new attached replacement drawing.

12. Sheet A403, Detail #1, West Elevation Room #6 & Detail #2, South Elevation Room #6: noted wood veneer panels and applicable colors. Refer to new attached replacement drawing.

13. Sheet A404, Detail #1, South Elevation Rooms #5 & 6 / Detail #2, East Elevation Rooms #5 & 6 / Detail #3, North Elevation Rooms #5 & 6: noted wood veneer panels and applicable colors. Refer to new attached replacement drawing.

14. Sheet A501, Detail #34, Plan Detail: revised detail. Refer to new attached replacement drawing.

15. Sheet A601, Detail #2, Color Schedule: revise colors as noted. Refer to new attached replacement drawing.

16. Sheet A701, Detail #1, East Wall Room #2 / Detail #2, Section / Detail #3, Section at Counter: revise display cabinets and school board counter as indicated. Refer to new attached replacement drawing.

Mechanical, Electrical, Technology, and Plumbing

Refer to attachments.

B. Specifications:

1. Section 05515, Aluminum Ladders: provide at aluminum ladder at Room #9 Storage – Roof Hatch Safety System equal to Belmont Safety Hatch System Model 023-12158 (CM verify applicable dimension) manually operated drive unit with simple crank. Front mount directly to ladder with applicable brackets. Provide all items (including fall protection) required by manufacturer / code for a fully operable installation.

2. Section 07700 – Roof Accessories: roof hatch shall be Type E-50 as manufactured by Bilco Company – 36" x 36" in lieu of model and size specified.

3. Section 08700-2.02, Finish Hardware: in lieu of door stop specified provide Ives FS446 with manual holder at Hardware Set No. 010.

4. Section 08810 - Insulating Glass Panels: at section 2.01-1 Panels – Laminated, omit reference to "laminated metal faced" panels – panel exteriors are to be spandrel glass. Aluminum panel framing system to match / be the same profiles, finish, manufacturer, etc. as framing per Section 08400 Entrances and Storefronts. At section 2.02-2 Exterior Spandrel Glass – glass color to be Warm Gray (to be confirmed by Architect from actual manufacturer's samples).

5. Section 10110 – Recessed Trophy Cases: provide where indicated on the drawings as per the new attached section.

6. Section 10420 – Letters and Plaques: replace existing section with new attached section.

END OF ADDENDUM NO. 2

MOORE
PUBLIC SCHOOLS

MOORE PUBLIC SCHOOLS DISTRICT NO. I-2
CLEVELAND COUNTY MOORE, OKLAHOMA

ASC BOARDROOM
STORM SHELTER BUILDING

1500 S.E. 4TH STREET
MOORE , OK. 73160

AGP | the Abla Griffin Partnership

313 SE. 5TH ST. MOORE, OK. 73160
405.735.3477 AGP@theAGP.net www.the AGP.net

STATE OF OKLAHOMA
MICHAEL L. ABLA
2639
OKLAHOMA CITY, OKLAHOMA
REGISTERED ARCHITECT
8/20/26

CONSTRUCTION MANAGER

OMNI CONSTRUCTION

1909 S. EASTERN AVE.
MOORE, OK 73160

INDEX TO DRAWINGS

SHEET NUMBER	DESCRIPTION
C	COVER SHEET
--	TOPOGRAPHIC SURVEY - FOR INFORMATION ONLY
G100	LEGENDS / MAPS / ETC.
G101	SHELTER CALCULATION PLAN / SHELTER LOCATION PLAN
C1.00	DEMOLITION PLAN
C2.00	SITE PLAN
C3.00	GRADING PLAN
C4.00	UTILITY PLAN
C5.00	EROSION CONTROL PLAN
C5.01	EROSION CONTROL DETAILS
C6.00	STANDARD DETAILS
C6.01	STANDARD DETAILS
C900	H.C. PARKING / FENCE LOCATION PLAN
1 C901	DETAILS / RETAINING WALL
C902	SIGN LOCATION PLAN / DETAILS
~~DETENTION POND PLANS~~	
C0.00	COVER SHEET
C3.00	GRADING PLAN
C3.01	HISTORIC DRAINAGE
C3.02	DEVELOPED DRAINAGE
C3.03	DETENTION POND PLAN
C5.00	EROSION CONTROL PLAN
C5.01	EROSION CONTROL DETAILS
L100	LANDSCAPE PLAN / PLANT SCHEDULE / DETAILS
L101	IRRIGATION PLAN
L102	LANDSCAPE DETAILS
S100	GENERAL NOTES
S101	GENERAL NOTES
S102	GENERAL NOTES
S103	GENERAL NOTES
S104	DETAILS
S105	DETAILS
S106	DETAILS
S107	DETAILS
S108	COMPONENT AND CLADDING ISOMETRIC / SHELTER LOAD PLAN
S109	SPECIAL INSPECTIONS
S201	FOUNDATION PLAN
S301	FRAMING PLAN
S501	FOUNDATION SECTIONS
S502	FOUNDATION SECTIONS
S601	FRAMING SECTIONS
S602	FRAMING SECTIONS
S603	FRAMING SECTIONS
A100	LIFE SAFETY PLAN
A101	FLOOR PLAN
A102	ENLARGED FLOOR PLANS
A103	TERRAZZO & CARPET DESIGN PLAN
A104	REFLECTED CEILING PLAN
A105	ROOF PLAN
A106	ROOF DETAILS
A107	EQUIPMENT PLAN
A201	BUILDING ELEVATIONS
A202	BUILDING ELEVATIONS
A301	BUILDING SECTION
A302	WALL SECTIONS
A303	WALL SECTIONS
A304	WALL SECTIONS
A305	VERICAL DETAILS
A306	WALL SECTIONS
A401	INTERIOR ELEVATIONS / SECTIONS
A402	RAMP / PLATFORM SECTIONS
A403	INTERIOR ELEVATIONS / SECTIONS
A404	INTERIOR ELEVATIONS
A501	DETAILS
A502	DETAILS
A601	ROOM FINISH SCHEDULE / COLOR SCHEDULE
A602	DOOR SCHEDULE / DOOR ELEVATIONS / FRAME ELEVATIONS / WINDOW ELEVATIONS
A701	MILLWORK DETAILS

SHEET NUMBER	DESCRIPTION
F000	FIRE SPRINKLER RISER DETAIL / NOTES
F101	FIRE PROTECTION PLAN
P000	GENERAL PLUMBING NOTES
P101	PLUMBING PLAN - BELOW GRADE
P110	PLUMBING PLAN - ABOVE GRADE
P201	PLUMBING PLAN - ROOF
P301	PLUMBING ISOMETRICS
P501	DETAILS
P601	SCHEDULES
M000	MECHANICAL NOTES
M101	MECHANICAL PLAN
M201	MECHANICAL ROOF PLAN
M501	DETAILS
M601	SCHEDULES
T000	TECHNOLOGY LEGENDS / NOTES
T001	TECHNOLOGY SITE PLAN
T101	TECHNOLOGY PLAN
T201	DETAILS
T202	DETAILS
T203	DETAILS
T301	SYSTEM SPECIFICATIONS
T302	SYSTEM SPECIFICATIONS
T303	SYSTEM SPECIFICATIONS
T304	SYSTEM SPECIFICATIONS
T305	AUDIOVISUAL BILL OF MATERIAL
E000	ELECTRICAL NOTES / SCHEDULES
E001	ELECTRICAL SITE PLAN
E101	ELECTRICAL LIGHTING PLAN
E201	ELECTRICAL POWER PLAN
E202	ELECTRICAL ROOF PLAN
E401	ELECTRICAL ONE-LINE DIAGRAM
E501	DETAILS
E502	LIGHTING CONTROLS DETAILS
E601	SCHEDULES
E602	SCHEDULES

ASC BOARDROOM
STORM SHELTER BUILDING

SET NO. _____

STRUCTURAL

KFC ENGINEERING

1300 N. WALKER AVE
OKLAHOMA CITY, OK 73103

MECHANICAL/ELECTRICAL/PLUMBING

SALAS O'BRIEN

2900 S. TELEPHONE RD., SUITE 120
MOORE, OKLAHOMA 73160

CIVIL


FLATLAND CIVIL CONSULTING

11912 N. PENNSYLVANIA AVE., SUITE D4
OKLAHOMA CITY, OK 73120

revisions:
1 ADDENDUM #2

sheet no:
C

date:
JULY 2026



NORTH

1 H.C. PARKING / FENCE LOCATION PLAN

1" = 20'-0"

GENERAL NOTES :

1. PROVIDE NEW 4" WIDE PAINT STRIPING (WHITE) AS INDICATED ON THIS DRAWING INCLUDING 2 HANDICAP SYMBOLS TO MEET REQUIREMENTS OF ADAAG.COORDINATE LOCATION WITH ARCHITECT.

1

AGP
the Abla Griffin Partnership L.L.C.

313 S. E. 5th Street
MOORE, OK. 73160
405.735.3477
AGP@theAGP.net
www.theAGP.net

FLAT LAND
CIVIL

KFC ENGINEERING
STRUCTURAL

SALAS O'BRIEN
MECHANICAL / ELECTRICAL

STATE OF OKLAHOMA
MICHAEL L. ABLA
2639
REGISTERED ARCHITECT

8/20/26

CG
drawn by

MA
checked by

JULY 2026
date

revisions
1 ADDENDUM #2

MOORE
PUBLIC SCHOOLS

ASC BOARDROOM
STORM SHELTER
BUILDING


sheet no:

C900

SITE DETAILS

OWNERSHIP USE OF DOCUMENTS:

AGP EXPRESSLY RESERVES ITS COPYRIGHT AND OTHER PROPERTY RIGHTS OF ALL PLANS AND DRAWINGS DESIGNED AND/OR PRODUCED. PLANS AND DRAWINGS ARE NOT TO BE REPRODUCED IN ANY FORM OR MANNER WITHOUT THE EXPRESSED WRITTEN CONSENT OF AGP.




1 SIDEWALK EXP. JOINT

2 SIDEWALK CONTROL JT.

3 EXISTING / NEW CONCRETE SIDEWALK

4 SIDEWALK / CONC. CURB





5 SIDEWALK @ VERT. SURF.
MOW STRIP @ VERT. SURF.

6 SIDEWALK EDGE

7 PAVING EDGE

NOT TO SCALE






REFER CIVIL FOR
ADDITIONAL INFORMATION

NORTH

9 RETAINING WALL PLAN

1/16" = 1'-0"



10 SECTION


1" = 1'-0"

SECTION DESIGN	H	L	F BAR SIZE SPC.	C BAR NO. REQ'D	V_1 BAR SIZE SPC.	V_2 BAR SIZE SPC.	V_3 BAR SIZE SPC.	QUANTITIES REINF. STEEL LBS. PER L.F.	QUANTITIES CONC. C.Y. PER L.F.
"A"	4'-0"	2'-8"	1/2" DIA. @ 12"	9	1/2" DIA. @ 18"	1/2" DIA. @ 12"	----	13.10	0.165

INFORMATION SOURCE:


OKLAHOMA DEPARTMENT OF TRANSPORTATION - ROADWAY DESIGN DIVISION
RETAINING WALL DETAIL SHEET

REFER TO THE OKLAHOMA DEPARTMENT OF TRANSPORTATION 2019 STANDARD SPECIFICATIONS FOR HIGHWAY CONSTRUCTION - SECTION 510 FOR ADDITIONAL INFORMATION & REQUIREMENTS



11 ADAABAAG PVMT. MARKING

NOT TO SCALE



12 HANDICAP PARKING SIGN


NOT TO SCALE

NOTES :

SIGN SHALL BE 16-GAUGE STEEL OR .063 ALUMINUM.

SIGN BACKGROUND SHALL BE WHITE AND SYMBOL SHALL BE BLUE.

SIGN SHALL BE MIN. 12" x 18". MOUNT ON WALL - COORDINATE W/ ARCHITECT



REFER CIVIL FOR
LOCATION WIDTH, ETC.

13 SECTION

1" = 1'-0"

AGP
the Abla Griffin Partnership L.L.C.

313 S. E. 5th Street
MOORE, OK. 73160
405.735.3477
AGP@theAGP.net
www.theAGP.net

FLAT LAND
CIVIL

KFC ENGINEERING
STRUCTURAL

SALAS O'BRIEN
MECHANICAL / ELECTRICAL



CG
drawn by

MA
checked by

JULY 2026
date

revisions
1 ADDENDUM #2

MOORE PUBLIC SCHOOLS

ASC BOARDROOM
STORM SHELTER
BUILDING


sheet no:

C901

DETAILS / RETAINING WALL

OWNERSHIP USE OF DOCUMENTS:


AGP EXPRESSLY RESERVES ITS COPYRIGHT AND OTHER PROPERTY RIGHTS OF ALL PLANS AND DRAWINGS DESIGNED AND/OR PRODUCED. PLANS AND DRAWINGS ARE NOT TO BE REPRODUCED IN ANY FORM OR MANNER WITHOUT THE EXPRESSED WRITTEN CONSENT OF AGP.



NORTH


1 SIGN LOCATION PLAN

1" = 50'-0"




2 EAST ELEVATION - SIGN
WEST ELEVATION OPP. - SIGN

1/4" = 1'-0"



3 NORTH ELEVATION - SIGN


1/4" = 1'-0"



4 SECTION


1/2" = 1'-0"

RE: 4C900 FOR REINFORCING & TYPICAL NOTES




5 SECTION

1/2" = 1'-0"




6 CAST STONE



7 BENT PLATE PLAN

1 1/2" = 1'-0"



8 SECTION

1/2" = 1'-0"

AGP
the Abla Griffin Partnership L.L.C.

313 S. E. 5th Street
MOORE, OK. 73160
405.735.3477
AGP@theAGP.net
www.theAGP.net

FLAT LAND
CIVIL

KFC ENGINEERING
STRUCTURAL

SALAS O'BRIEN
MECHANICAL / ELECTRICAL

STATE OF OKLAHOMA
MICHAEL L. ABLA
2639
REGISTERED ARCHITECT

8/20/26

CG
drawn by

MA
checked by

JULY 2026
date

revisions
1 ADDENDUM #2

MOORE
PUBLIC SCHOOLS

ASC BOARDROOM
STORM SHELTER
BUILDING

sheet no:


C902

SIGN LOCATION PLAN / DETAILS

1 ENTIRE SHEET

OWNERSHIP USE OF DOCUMENTS:

AGP EXPRESSLY RESERVES ITS COPYRIGHT AND OTHER PROPERTY RIGHTS OF ALL PLANS AND DRAWINGS DESIGNED AND/OR PRODUCED. PLANS AND DRAWINGS ARE NOT TO BE REPRODUCED IN ANY FORM OR MANNER WITHOUT THE EXPRESSED WRITTEN CONSENT OF AGP.



1 FLOOR PLAN

1/8" = 1'-0" 8,050 SQ. FT.

NORTH

DENOTES ROOM NAME
CLASSROOM
102
DENOTES ROOM NUMBER
102
DENOTES DOOR NUMBER

MISCELLANEOUS NOTES:

1. F.E.C. - FIRE EXTINGUISHER AND CABINET
2. DO NOT SCALE DRAWINGS TO OBTAIN MATERIAL QUANTITIES. USE DRAWINGS WHICH ARE DIMENSIONED OR COORDINATE W/ ARCHITECT & ENGINEERS.
3. INTERIOR PARTITIONS ARE DIMENSIONED TO CENTER LINE
4. COORDINATE TORNADO LOUVER LOCATION WITH MECHANICAL EQUIPMENT LAYOUT PRIOR TO CONSTRUCTION.
5. COORDINATE TORNADO LOUVER LOCATION WITH ARCHITECT PRIOR TO CONSTRUCTION. RE: 1G101

AGP
the Abla Griffin Partnership L.L.C.

313 S. E. 5th Street
MOORE, OK. 73160
405.735.3477
AGP@theAGP.net
www.theAGP.net

FLAT LAND
CIVIL

KFC ENGINEERING
STRUCTURAL

SALAS O'BRIEN
MECHANICAL / ELECTRICAL

STATE OF OKLAHOMA
MICHAEL L. ABLA
2639
REGISTERED ARCHITECT
8/20/26

CG
drawn by

MA
checked by

JULY 2026
date

revisions
1 ADDENDUM #2

MOORE PUBLIC SCHOOLS

ASC BOARDROOM
STORM SHELTER
BUILDING


sheet no:

A101

FLOOR PLAN

OWNERSHIP USE OF DOCUMENTS:

AGP EXPRESSLY RESERVES ITS COPYRIGHT AND OTHER PROPERTY RIGHTS OF ALL PLANS AND DRAWINGS DESIGNED AND/OR PRODUCED. PLANS AND DRAWINGS ARE NOT TO BE REPRODUCED IN ANY FORM OR MANNER WITHOUT THE EXPRESSED WRITTEN CONSENT OF AGP.



1 ENLARGED FLOOR PLAN
ROOM # 6, 7, 8 & 9
1/8" = 1'-0"


NOTE: CONTRACTOR TO VERIFY THAT THE MOUNTING HEIGHTS OF ALL WALL MOUNTED FIXTURES (I.E. PLUMBING FIXTURES, GRAB BARS, MIRRORS, ETC.) MEET ALL APPLICABLE CODES & STANDARDS PRIOR TO INSTALLATION.

MISCELLANEOUS NOTES:


1. F.E.C. - FIRE EXTINGUISHER AND CABINET
2. DO NOT SCALE DRAWINGS TO OBTAIN MATERIAL QUANTITIES. USE DRAWINGS WHICH ARE DIMENSIONED OR COORDINATE W/ ARCHITECT & ENGINEERS.
3. INTERIOR PARTITIONS ARE DIMENSIONED TO CENTER LINE
4. COORDINATE TORNADO LOUVER LOCATION WITH MECHANICAL EQUIPMENT LAYOUT PRIOR TO CONSTRUCTION.
5. COORDINATE TORNADO LOUVER LOCATION WITH ARCHITECT PRIOR TO CONSTRUCTION. RE: 1G101
6. PROVIDE HANDRAIL EACH SIDE. WRAP HANDRAIL 6" AROUND CORNER AS SHOWN. PROVIDE IN-WALL BLOCKING AS REQUIRED
7. PROVIDE FLOOR MOUNTED HANDRAIL EACH SIDE.

DENOTES ROOM NAME
CLASSROOM
102
DENOTES ROOM NUMBER


102
DENOTES DOOR NUMBER



2 ENLARGED FLOOR PLAN
ROOM # 12, 13, 14, 15, 16 & 17
1/8" = 1'-0"



3 ENLARGED FLOOR PLAN
ROOM # 3 & 4
1/8" = 1'-0"



4 ENLARGED FLOOR PLAN ROOM #2
1/8" = 1'-0"
1
NORTH

AGP
the Abla Griffin Partnership L.L.C.

313 S. E. 5th Street
MOORE, OK. 73160
405.735.3477
AGP@theAGP.net
www.theAGP.net

FLAT LAND
CIVIL

KFC ENGINEERING
STRUCTURAL

SALAS O'BRIEN
MECHANICAL / ELECTRICAL

STATE OF OKLAHOMA
MICHAEL L. ABLA
2639
REGISTERED ARCHITECT
8/20/26

CG
drawn by

MA
checked by

JULY 2026
date

revisions
1 ADDENDUM #2

MOORE PUBLIC SCHOOLS

ASC BOARDROOM STORM SHELTER BUILDING


sheet no:

A102

ENLARGED FLOOR PLANS

OWNERSHIP USE OF DOCUMENTS:

AGP EXPRESSLY RESERVES ITS COPYRIGHT AND OTHER PROPERTY RIGHTS OF ALL PLANS AND DRAWINGS DESIGNED AND/OR PRODUCED. PLANS AND DRAWINGS ARE NOT TO BE REPRODUCED IN ANY FORM OR MANNER WITHOUT THE EXPRESSED WRITTEN CONSENT OF AGP.



1 TERRAZZO & CARPET DESIGN PLAN

3/16" = 1'-0"

NORTH

MISCELLANEOUS NOTES:

1. DO NOT SCALE DRAWINGS TO OBTAIN MATERIAL QUANTITIES. USE DRAWINGS WHICH ARE DIMENSIONED OR COORDINATE W/ EXISTING CONDITIONS &/OR ARCHITECT & ENGINEERS.
2. NO WORK SHALL COMMENCE PRIOR TO PROVIDING LAYOUT OF FLOORING MATERIAL FOR APPROVAL BY ARCHITECT

DESCRIPTION		
FLOOR	F1	TERRAZZO TILE FLOORING
FLOOR	F2	CARPET
FLOOR	F3	CERAMIC TILE FLOORING
FLOOR	F4	SEALED CONCRETE
FLOOR	F5	PAINTED WOOD FLOOR

RE: ROOM FINISH SCHEDULE FOR ADDITIONAL INFORMATION

TERRAZZO TILE LEGEND:

FLOORAZZO -
GEM COLLECTION
COLOR - ESPRESSO MACCHIATO
PREFINISHED COLOR "10"

FLOORAZZO -
GEM COLLECTION
COLOR - PEARL
PREFINISHED COLOR "11"

CARPET TILE LEGEND:

COLOR "A" INTERFACE
OPEN AIR 410
COLOR - 106970 NATURAL

COLOR "B" INTERFACE
OPEN AIR 410
COLOR - EBONY 107741

AGP
the Abla Griffin Partnership L.L.C.

313 S. E. 5th Street
MOORE, OK. 73160
405.735.3477
AGP@theAGP.net
www.theAGP.net

FLAT LAND
CIVIL

KFC ENGINEERING
STRUCTURAL

SALAS O'BRIEN
MECHANICAL / ELECTRICAL

STATE OF OKLAHOMA
MICHAEL L. ABLA
2639
REGISTERED ARCHITECT

8/20/26

CG
drawn by

MA
checked by

JULY 2026
date

revisions
1 ADDENDUM #2

MOORE PUBLIC SCHOOLS

ASC BOARDROOM
STORM SHELTER
BUILDING


sheet no:


A103


TERRAZZO / CARPET PLAN


OWNERSHIP USE OF DOCUMENTS:

AGP EXPRESSLY RESERVES ITS COPYRIGHT AND OTHER PROPERTY RIGHTS OF ALL PLANS AND DRAWINGS DESIGNED AND/OR PRODUCED. PLANS AND DRAWINGS ARE NOT TO BE REPRODUCED IN ANY FORM OR MANNER WITHOUT THE EXPRESSED WRITTEN CONSENT OF AGP.









1 REFLECTED CEILING PLAN

1/8" = 1'-0"

NORTH

NOTES:

1. REFER MECHANICAL & ELECTRICAL FOR ANY ADDITIONAL CEILING MOUNTED FIXTURES
2. REFER TO SHEET A100 FOR LOCATIONS OF FIRE-RATED WALLS
3. DO NOT SCALE DRAWINGS TO OBTAIN MATERIAL QUANTITIES. USE DRAWINGS WHICH ARE DIMENSIONED OR COORDINATE W/ EXISTING CONDITIONS &/OR ARCHITECT & ENGINEERS.

LEGEND:

- MECHANICAL OPENINGS
- ELECTRICAL FIXTURES
- CEILING MOUNTED SMOKE DETECTOR, RE: ELEC
- INDICATES AREA / ROOM TO RECEIVE GYP. BD.. CEILING
- INDICATES AREA / ROOM TO RECEIVE 2X2 LAY-IN CEILING

NOTES:

1. ALL CEILINGS TO BE LOCATED AT 9'-4" MIN. A.F.F. UNLESS NOTED OTHERWISE.

2. THESE DRAWINGS INDICATE THE LIMITS OF FINISHES FOR AREAS THAT HAVE MULTIPLE TYPES AND COLORS. REFER ROOM FINISH SCHEDULE FOR CEILING MATERIAL AND COLOR DESIGNATIONS NOT SHOWN ON THIS SHEET.

3. ALL FURRDOWNS SHALL BE PAINTED UNLESS NOTED OTHERWISE.

4. ALL CEILING FURRDOWNS SHALL BE BRACED WITH LIGHT GAUGE FRAMING TO PREVENT SWAYING.

5. ALL CEILINGS, FURRDOWNS, PIPES, DUCTS, EQUIPMENT, ETC. SHALL BE SUSPENDED FROM STRUCTURAL STEEL ABOVE. DO NOT SUPPORT ITEMS FROM METAL DECK ONLY. REFER STRUCTURAL FOR REQUIREMENTS OF ATTACHMENT TO STEEL.

6. MECHANICAL AND ELECTRICAL DISCIPLINES ARE SHOWN FOR INFORMATION PURPOSES ONLY. REFER TO CONSULTANT SHEETS FOR EXACT FIXTURE LOCATIONS. IF DISCREPANCIES ARE FOUND COORDINATE WITH ARCHITECT PRIOR TO INSTALLATION.

7. COORDINATE LOCATION OF ANY CONTROL JOINTS NOT SHOWN WITH THE ARCHITECT PRIOR TO INSTALLATION.

8. PROVIDE DRYWALL CONTROL JOINTS AT WALLS, CEILINGS AND SOFFITS, FURRINGS, ETC., WHERE SHOWN ON DRAWINGS, AND THE FOLLOWING LOCATIONS (SHOWN OR NOT):

A. AT OTHER LOCATIONS WHERE STRUCTURAL SUPPORT FOR FRAMING CHANGES LEVEL OR MATERIAL, OR WHERE DIFFERENTIAL MOVEMENT IS LIKELY TO OCCUR,
B. AT LOCATIONS WHERE CEILING FRAMING MEMBERS CHANGE DIRECTION,
C. AT 30' MAX SPACING IN ANY UNINTERRUPTED STRAIGHT PLANE OR CURVE FOR WALLS, CEILINGS AND SOFFITS (IN TWO DIRECTIONS),
D. AT DOORS, WINDOWS AND OPENINGS LESS THAN OR EQUAL TO 4'-0" WIDE, FROM ONE EDGE OF FRAME, TO TOP OF WALL, AND TO FLOOR IF OPENING DOES NOT EXTEND TO FLOOR,
E. AT DOORS, WINDOWS AND OPENINGS GREATER THAN 4'-0" WIDE, FROM BOTH EDGES OF FRAME, TO TOP OF WALL, AND TO FLOOR IF OPENING DOES NOT EXTEND TO FLOOR,
F. AT BUILDING CONTROL JOINTS, SEISMIC JOINTS AND EXPANSION JOINTS,
G. AT LOCATIONS OF EXTREME DIFFERENCE IN THE DIMENSIONS OF ADJACENT DRYWALL AREAS.

9. REFER TO TECHNOLOGY SHEETS & SPECS FOR OTHER CEILING TILE REQUIREMENTS.

10. PROVIDE ALL MATERIALS REQUIRED FOR TRIMMING OUT COILING DOOR TRACK & SHUTTER AT ALL CEILING TYPES.

11. CEILING HEIGHTS NOTED ON PLANS ARE MEASURED FROM FINISH FLOOR IN THE AREA INDICATED.

AGP
the Abla Griffin Partnership L.L.C.

313 S. E. 5th Street
MOORE, OK. 73160
405.735.3477
AGP@theAGP.net
www.theAGP.net

FLAT LAND
CIVIL

KFC ENGINEERING
STRUCTURAL

SALAS O'BRIEN
MECHANICAL / ELECTRICAL

STATE OF OKLAHOMA
MICHAEL L. ABLA
2639
REGISTERED ARCHITECT
8/20/26

CG
drawn by

MA
checked by

JULY 2026
date

revisions
1 ADDENDUM #2

MOORE PUBLIC SCHOOLS

ASC BOARDROOM STORM SHELTER BUILDING


sheet no:


A104

REFLECTED CEILING PLAN

OWNERSHIP USE OF DOCUMENTS:

AGP EXPRESSLY RESERVES ITS COPYRIGHT AND OTHER PROPERTY RIGHTS OF ALL PLANS AND DRAWINGS DESIGNED AND/OR PRODUCED. PLANS AND DRAWINGS ARE NOT TO BE REPRODUCED IN ANY FORM OR MANNER WITHOUT THE EXPRESSED WRITTEN CONSENT OF AGP.





1 ROOF PLAN

1/8" = 1'-0"

NORTH

NOTES:

1. RE: MECH & ELEC. FOR ADDITIONAL ROOF MOUNTED ITEMS. CONTRACTOR TO COORDINATE ALL ROOF MOUNTED ITEMS & PENETRATIONS W/ APPLICABLE TRADES
2. CONTRACTOR TO COORDINATE ROOF VENT PENETRATIONS W/ ARCHITECT.
3. INDICATES NEW WALKWAY PAD LOCATIONS - CUT PADS INTO 5'-0" MAX LENGTHS & PLACE 2" APART TO COVER AREAS INDICATED.
4. PROVIDE @ ALL ROOF PENETRATIONS - PENETRATION DAM / SEALER POCKETS AS PER 6A106
5. DO NOT SCALE DRAWINGS TO OBTAIN MATERIAL QUANTITIES. USE DRAWINGS WHICH ARE DIMENSIONED OR COORDINATE W/ EXISTING CONDITIONS &/OR ARCHITECT & ENGINEERS.
7. PROVIDE "CRICKETS @ HIGH SIDES OF ALL EQUIPMENT

AGP
the Abla Griffin Partnership L.L.C.

313 S. E. 5th Street
MOORE, OK. 73160
405.735.3477
AGP@theAGP.net
www.theAGP.net

FLAT LAND
CIVIL

KFC ENGINEERING
STRUCTURAL

SALAS O'BRIEN
MECHANICAL / ELECTRICAL

STATE OF OKLAHOMA
MICHAEL L. ABLA
2639
REGISTERED ARCHITECT
8/20/26

CG
drawn by

MA
checked by

JULY 2026
date

revisions
1 ADDENDUM #2

MOORE PUBLIC SCHOOLS

ASC BOARDROOM STORM SHELTER BUILDING


sheet no:


A105


ROOF PLAN


OWNERSHIP USE OF DOCUMENTS:

AGP EXPRESSLY RESERVES ITS COPYRIGHT AND OTHER PROPERTY RIGHTS OF ALL PLANS AND DRAWINGS DESIGNED AND/OR PRODUCED. PLANS AND DRAWINGS ARE NOT TO BE REPRODUCED IN ANY FORM OR MANNER WITHOUT THE EXPRESSED WRITTEN CONSENT OF AGP.









GENERAL NOTES:

1. REFER STRUCTURAL DRAWINGS FOR TOP OF FOOTING ELEVATIONS - PROVIDE ALL MATERIALS REQUIRED FOR WALL SYSTEM TO EXTEND TO TOP OF FOOTING
2. DO NOT SCALE DRAWINGS TO OBTAIN MATERIAL QUANTITIES. USE DRAWINGS WHICH ARE DIMENSIONED OR COORDINATE W/ EXISTING CONDITIONS &/OR ARCHITECT & ENGINEERS.

AGP
the Abla Griffin Partnership L.L.C.

313 S. E. 5th Street
MOORE, OK. 73160
405.735.3477
AGP@theAGP.net
www.theAGP.net

FLAT LAND
CIVIL

KFC ENGINEERING
STRUCTURAL

SALAS O'BRIEN
MECHANICAL / ELECTRICAL



CG
drawn by

MA
checked by

JULY 2026
date

revisions
1 ADDENDUM #2

MOORE PUBLIC SCHOOLS

ASC BOARDROOM STORM SHELTER BUILDING

sheet no:

A201


ELEVATIONS

OWNERSHIP USE OF DOCUMENTS:

AGP EXPRESSLY RESERVES ITS COPYRIGHT AND OTHER PROPERTY RIGHTS OF ALL PLANS AND DRAWINGS DESIGNED AND/OR PRODUCED. PLANS AND DRAWINGS ARE NOT TO BE REPRODUCED IN ANY FORM OR MANNER WITHOUT THE EXPRESSED WRITTEN CONSENT OF AGP.

GENERAL NOTES:

1. REFER STRUCTURAL DRAWINGS FOR TOP OF FOOTING ELEVATIONS - PROVIDE ALL MATERIALS REQUIRED FOR WALL SYSTEM TO EXTEND TO TOP OF FOOTING
2. DO NOT SCALE DRAWINGS TO OBTAIN MATERIAL QUANTITIES. USE DRAWINGS WHICH ARE DIMENSIONED OR COORDINATE W/ EXISTING CONDITIONS &/OR ARCHITECT & ENGINEERS.
3. PROVIDE LABELING AS PER IBC 703.7 MARKING AND IDENTIFICATION. BE LOCATED WITHIN 15 FEET (4572 MM) OF THE END OF EACH WALL AND AT INTERVALS NOT EXCEEDING 30 FEET (9144 MM) MEASURED HORIZONTALLY ALONG THE WALL OR PARTITION. INCLUDE LETTERING NOT LESS THAN 3 INCHES (76 MM) IN HEIGHT WITH A MINIMUM 3/8-INCH (9.5 MM) STROKE IN A CONTRASTING COLOR INCOPORATING THE SUGGESTED WORDING, "FIRE AND/OR SMOKE BARRIER - PROTECT ALL OPENINGS" OR OTHER WORDING.
4. RE: SHEET A100 FOR PARTITIONS REQUIRED TO CLOSE-OUT TO BOTTOM OF DECKING OR STRUCTURE ABOVE.
5. COORDINATE EXIT LIGHT FIXUTURES MOUNTED IN DOOR FRAME (S) WITH ELECTRICAL CONTRACTOR
6. COORDINATE TECHNOLOGY ITEMS MOUNTED IN DOOR FRAME (S) WITH ELECTRICAL CONTRACTOR
7. AT ALL LOCATION WHERE WALLS NEED TO CLOSE OUT- WRAP JOIST / BEAM W/ 5/8" FIRE RATED GYP. BD. ON WOOD BLOCKING AS REQUIRED.



AGP
the Abla Griffin Partnership L.L.C.

313 S. E. 5th Street
MOORE, OK. 73160
405.735.3477
AGP@theAGP.net
www.theAGP.net

FLAT LAND
CIVIL

KFC ENGINEERING
STRUCTURAL

SALAS O'BRIEN
MECHANICAL / ELECTRICAL

STATE OF OKLAHOMA
MICHAEL L. ABLA
2639
REGISTERED ARCHITECT
8/20/26

CG
drawn by

MA
checked by

JULY 2026
date

revisions
1 ADDENDUM #2

MOORE PUBLIC SCHOOLS

ASC BOARDROOM STORM SHELTER BUILDING

sheet no:

A302


BUILDING SECTIONS

OWNERSHIP USE OF DOCUMENTS:

AGP EXPRESSLY RESERVES ITS COPYRIGHT AND OTHER PROPERTY RIGHTS OF ALL PLANS AND DRAWINGS DESIGNED AND/OR PRODUCED. PLANS AND DRAWINGS ARE NOT TO BE REPRODUCED IN ANY FORM OR MANNER WITHOUT THE EXPRESSED WRITTEN CONSENT OF AGP.

GENERAL NOTES:

1. REFER STRUCTURAL DRAWINGS FOR TOP OF FOOTING ELEVATIONS - PROVIDE ALL MATERIALS REQUIRED FOR WALL SYSTEM TO EXTEND TO TOP OF FOOTING
2. DO NOT SCALE DRAWINGS TO OBTAIN MATERIAL QUANTITIES. USE DRAWINGS WHICH ARE DIMENSIONED OR COORDINATE W/ EXISTING CONDITIONS &/OR ARCHITECT & ENGINEERS.
3. PROVIDE LABELING AS PER IBC 703.7 MARKING AND IDENTIFICATION. BE LOCATED WITHIN 15 FEET (4572 MM) OF THE END OF EACH WALL AND AT INTERVALS NOT EXCEEDING 30 FEET (9144 MM) MEASURED HORIZONTALLY ALONG THE WALL OR PARTITION. INCLUDE LETTERING NOT LESS THAN 3 INCHES (76 MM) IN HEIGHT WITH A MINIMUM 3/8-INCH (9.5 MM) STROKE IN A CONTRASTING COLOR INCOPORATING THE SUGGESTED WORDING, "FIRE AND/OR SMOKE BARRIER - PROTECT ALL OPENINGS" OR OTHER WORDING.
4. RE: SHEET A100 FOR PARTITIONS REQUIRED TO CLOSE-OUT TO BOTTOM OF DECKING OR STRUCTURE ABOVE.
5. COORDINATE EXIT LIGHT FIXUTURES MOUNTED IN DOOR FRAME (S) WITH ELECTRICAL CONTRACTOR
6. COORDINATE TECHNOLOGY ITEMS MOUNTED IN DOOR FRAME (S) WITH ELECTRICAL CONTRACTOR
7. AT ALL LOCATION WHERE WALLS NEED TO CLOSE OUT- WRAP JOIST / BEAM W/ 5/8" FIRE RATED GYP. BD. ON WOOD BLOCKING AS REQUIRED.



AGP
the Abla Griffin Partnership L.L.C.

313 S. E. 5th Street
MOORE, OK. 73160
405.735.3477
AGP@theAGP.net
www.theAGP.net

FLAT LAND
CIVIL

KFC ENGINEERING
STRUCTURAL

SALAS O'BRIEN
MECHANICAL / ELECTRICAL

STATE OF OKLAHOMA
MICHAEL L. ABLA
2639
REGISTERED ARCHITECT
8/20/26

CG
drawn by

MA
checked by

JULY 2026
date

revisions
1 ADDENDUM #2

MOORE PUBLIC SCHOOLS

ASC BOARDROOM STORM SHELTER BUILDING

sheet no:

A303


BUILDING SECTIONS

OWNERSHIP USE OF DOCUMENTS:


AGP EXPRESSLY RESERVES ITS COPYRIGHT AND OTHER PROPERTY RIGHTS OF ALL PLANS AND DRAWINGS DESIGNED AND/OR PRODUCED. PLANS AND DRAWINGS ARE NOT TO BE REPRODUCED IN ANY FORM OR MANNER WITHOUT THE EXPRESSED WRITTEN CONSENT OF AGP.

GENERAL NOTES:


1. REFER STRUCTURAL DRAWINGS FOR TOP OF FOOTING ELEVATIONS - PROVIDE ALL MATERIALS REQUIRED FOR WALL SYSTEM TO EXTEND TO TOP OF FOOTING
2. DO NOT SCALE DRAWINGS TO OBTAIN MATERIAL QUANTITIES. USE DRAWINGS WHICH ARE DIMENSIONED OR COORDINATE W/ EXISTING CONDITIONS &/OR ARCHITECT & ENGINEERS.
3. PROVIDE LABELING AS PER IBC 703.7 MARKING AND IDENTIFICATION. BE LOCATED WITHIN 15 FEET (4572 MM) OF THE END OF EACH WALL AND AT INTERVALS NOT EXCEEDING 30 FEET (9144 MM) MEASURED HORIZONTALLY ALONG THE WALL OR PARTITION. INCLUDE LETTERING NOT LESS THAN 3 INCHES (76 MM) IN HEIGHT WITH A MINIMUM 3/8-INCH (9.5 MM) STROKE IN A CONTRASTING COLOR INCOPORATING THE SUGGESTED WORDING, "FIRE AND/OR SMOKE BARRIER - PROTECT ALL OPENINGS" OR OTHER WORDING.
4. RE: SHEET A100 FOR PARTITIONS REQUIRED TO CLOSE-OUT TO BOTTOM OF DECKING OR STRUCTURE ABOVE.
5. COORDINATE EXIT LIGHT FIXUTURES MOUNTED IN DOOR FRAME (S) WITH ELECTRICAL CONTRACTOR
6. COORDINATE TECHNOLOGY ITEMS MOUNTED IN DOOR FRAME (S) WITH ELECTRICAL CONTRACTOR
7. AT ALL LOCATION WHERE WALLS NEED TO CLOSE OUT- WRAP JOIST / BEAM W/ 5/8" FIRE RATED GYP. BD. ON WOOD BLOCKING AS REQUIRED.



1 WALL SECTION
1/2" = 1'-0" RE:4A301



2 WALL SECTION
1/2" = 1'-0" RE:4A301



3 WALL SECTION
1/2" = 1'-0" RE:6A301

AGP
the Abla Griffin Partnership L.L.C.
313 S. E. 5th Street
MOORE, OK. 73160
405.735.3477
AGP@theAGP.net
www.theAGP.net

FLAT LAND
CIVIL

KFC ENGINEERING
STRUCTURAL

SALAS O'BRIEN
MECHANICAL / ELECTRICAL

STATE OF OKLAHOMA
MICHAEL L. ABLA
2639
REGISTERED ARCHITECT
8/20/26

CG
drawn by

MA
checked by

JULY 2026
date

revisions
1 ADDENDUM #2

MOORE PUBLIC SCHOOLS

ASC BOARDROOM STORM SHELTER BUILDING


sheet no:

A306

WALL SECTIONS


OWNERSHIP USE OF DOCUMENTS:

AGP EXPRESSLY RESERVES ITS COPYRIGHT AND OTHER PROPERTY RIGHTS OF ALL PLANS AND DRAWINGS DESIGNED AND/OR PRODUCED. PLANS AND DRAWINGS ARE NOT TO BE REPRODUCED IN ANY FORM OR MANNER WITHOUT THE EXPRESSED WRITTEN CONSENT OF AGP.




1 RAMP / PLATFORM SECTION

1 1/2" = 1'-0" RE: 1A102




2 RAMP / PLATFORM SECTION

3/4" = 1'-0" RE: 1A402



3 RAMP / PLATFORM SECTION

1 1/2" = 1'-0" RE: 1A102



4 RAMP / PLATFORM SECTION

3/4" = 1'-0" RE: 2A402

AGP
the Abla Griffin Partnership L.L.C.

313 S. E. 5th Street
MOORE, OK. 73160
405.735.3477
AGP@theAGP.net
www.theAGP.net

FLAT LAND
CIVIL

KFC ENGINEERING
STRUCTURAL

SALAS O'BRIEN
MECHANICAL / ELECTRICAL

STATE OF OKLAHOMA
MICHAEL L. ABLA
2639
REGISTERED ARCHITECT
8/20/26

CG
drawn by

MA
checked by

JULY 2026
date

revisions
1 ADDENDUM #2

MOORE PUBLIC SCHOOLS

ASC BOARDROOM STORM SHELTER BUILDING


sheet no:

A402

SECTIONS


OWNERSHIP USE OF DOCUMENTS:

AGP EXPRESSLY RESERVES ITS COPYRIGHT AND OTHER PROPERTY RIGHTS OF ALL PLANS AND DRAWINGS DESIGNED AND/OR PRODUCED. PLANS AND DRAWINGS ARE NOT TO BE REPRODUCED IN ANY FORM OR MANNER WITHOUT THE EXPRESSED WRITTEN CONSENT OF AGP.




1 WEST ELEVATION RM. #6

1/4" = 1'-0" RE: 1A102




2 SOUTH ELEVATION RM. #6

1/4" = 1'-0" RE: 1A102




3 SECTION

3/4" = 1'-0" RE: 1A102




6 SECTION

1-1/2" = 1'-0"




7 SECTION

1-1/2" = 1'-0"



4 SECTION THRU STAIR

1-1/2" = 1'-0"



5 SECTION THRU STAIR

1-1/2" = 1'-0"

AGP
the Abla Griffin Partnership L.L.C.
313 S. E. 5th Street
MOORE, OK. 73160
405.735.3477
AGP@theAGP.net
www.theAGP.net

FLAT LAND
CIVIL

KFC ENGINEERING
STRUCTURAL

SALAS O'BRIEN
MECHANICAL / ELECTRICAL



CG
drawn by

MA
checked by

JULY 2026
date

revisions
1 ADDENDUM #2

MOORE PUBLIC SCHOOLS

ASC BOARDROOM
STORM SHELTER
BUILDING


sheet no:

A403

INTERIOR ELEVATION / SECTIONS


OWNERSHIP USE OF DOCUMENTS:

AGP EXPRESSLY RESERVES ITS COPYRIGHT AND OTHER PROPERTY RIGHTS OF ALL PLANS AND DRAWINGS DESIGNED AND/OR PRODUCED. PLANS AND DRAWINGS ARE NOT TO BE REPRODUCED IN ANY FORM OR MANNER WITHOUT THE EXPRESSED WRITTEN CONSENT OF AGP.




1 SOUTH ELEVATION RM. #5 & 6

1/4" = 1'-0" RE: 1A101



2 EAST ELEVATION RM. #5

1/4" = 1'-0" RE: 1A101



3 NORTH ELEVATION RM. #5 & 6

1/4" = 1'-0" RE: 1A101

AGP

the Abla Griffin Partnership L.L.C.

313 S. E. 5th Street
MOORE, OK. 73160
405.735.3477
AGP@theAGP.net
www.theAGP.net

FLAT LAND
CIVIL

KFC ENGINEERING
STRUCTURAL

SALAS O'BRIEN
MECHANICAL / ELECTRICAL



CG
drawn by

MA
checked by

JULY 2026
date

revisions
1 ADDENDUM #2

MOORE PUBLIC SCHOOLS

ASC BOARDROOM
STORM SHELTER
BUILDING


sheet no:

A404


INTERIOR ELEVATION

OWNERSHIP USE OF DOCUMENTS:


AGP EXPRESSLY RESERVES ITS COPYRIGHT AND OTHER PROPERTY RIGHTS OF ALL PLANS AND DRAWINGS DESIGNED AND/OR PRODUCED. PLANS AND DRAWINGS ARE NOT TO BE REPRODUCED IN ANY FORM OR MANNER WITHOUT THE EXPRESSED WRITTEN CONSENT OF AGP.




1




2 HEAD




3 HEAD




4




5




6




7




8




9 JAMB




10 JAMB




11 HEAD




12




13




14




15 SILL




16 SILL




17 HEAD




18 JAMB




19




20 JAMB




21 CONTROL JOINT




22




23




24




25




26




27 EXPANSION JT.




28 CONTROL JOINT




29




30




31 HEAD



32



33



34
1

NOTES:

1. ALL DETAILS 1 1/2" = 1'-0" UNLESS NOTED OTHERWISE
2. GROUT FULL ALL H.M. JAMBS AT MASONRY WALLS UNLESS OTHERWISE NOTED
3. RE: ROOM FINISH SCHEDULE FOR FINISHES, FLOOR / WALL MATERIALS, ETC.

AGP
the Abla Griffin Partnership L.L.C.

313 S. E. 5th Street
MOORE, OK. 73160
405.735.3477
AGP@theAGP.net
www.theAGP.net

FLAT LAND
CIVIL

KFC ENGINEERING
STRUCTURAL

SALAS O'BRIEN
MECHANICAL / ELECTRICAL

STATE OF OKLAHOMA
MICHAEL L. ABLA
2639
REGISTERED ARCHITECT
8/20/26

CG
drawn by

MA
checked by

JULY 2026
date

revisions
1 ADDENDUM #2

MOORE PUBLIC SCHOOLS

ASC BOARDROOM
STORM SHELTER
BUILDING

sheet no:

A501

OWNERSHIP USE OF DOCUMENTS:

AGP EXPRESSLY RESERVES ITS COPYRIGHT AND OTHER PROPERTY RIGHTS OF ALL PLANS AND DRAWINGS DESIGNED AND/OR PRODUCED. PLANS AND DRAWINGS ARE NOT TO BE REPRODUCED IN ANY FORM OR MANNER WITHOUT THE EXPRESSED WRITTEN CONSENT OF AGP.

DESCRIPTION	RM. NO.	FLOOR					BASE				CEILING				CLG. HT.	REMARKS	RM. NO.	WALLS				PAINT / COLOR SCHEDULE					
		TERRAZZO TILE	CARPET TILE	CERAMIC TILE	EXPOSED CONCRETE W/ HARDENER	PAINTED WOOD	CERAMIC TILE	RUBBER	NONE	TERRAZZO TILE	2 X 2 ACOUST. LAY-IN (TEG)	GYP. BOARD	EXPOSED STRUCTURE	ACOUST. BLADES				CERAMIC TILE	CONCRETE MASONRY UNIT	GYP. BD.	C.T. WALL PANELS	WOOD VENEER WALL PANEL	CLG.	WALLS N	WALLS E	WALLS S	WALLS W	REMARKS
VESTIBULE	1	○								○			●	○	----		1			⊠			(5)(17)	(2)(16)	(2)(16)	(2)(16)	(2)(16)	(10)(11)(17)
LOBBY	2	○								○	○	●			10'-0"		2			⊠			(1)(24)	(16)	(16)	(16)	(16)	(10)(11)
WOMEN	3			○			○					●			9'-0"	EPOXY PAINT	3	⊠					(1)	(15)	(15)	(15)	(15)	(14)
MEN	4			○			○					●			9'-0"	EPOXY PAINT	4	⊠					(1)	(15)	(15)	(15)	(15)	(14)
BOARD ROOM	5		○					○			○	●			16'-0"		5				⊠		(1)(24)	(20)	(20)	(20)	(20)	(8)(9)(18)(19)
PLATFORM	6		○					○				●			16'-0"		6				⊠		(1)	(20)	(20)	(20)	(20)	(8)(9)(18)(19)
PLATFORM	6A										○				VARIES		6A				⊠		(24)	(20)	(20)	(20)	(20)	(8)(9)
TECHNOLOGY	7		○					○					●		----		7						(1)	(2)	(2)	(2)	(2)	(8)(9)
MECHANICAL	8					●		○					●		----	FLOOR COLOR 5	8						(5)	(2)	(2)	(2)	(2)	(9)
STORAGE	9				○			○					●		----		9						(5)	(2)	(2)	(2)	(2)	(9)
CORRIDOR	10		○					○			○	●			9'-0"		10			●			(1)(24)	(2)	(2)	(2)	(2)	(8)(9)
STORAGE	11		○					○					●		----		11			●			(1)	(2)	(2)	(2)	(2)	(8)(9)
CUSTODIAN	12				○			○				●			9'-0"	EPOXY PAINT	12			●			(1)	(2)	(2)	(2)	(2)	(9) EPOXY PAINT
TOILET	13			○			○					●			9'-0"	EPOXY PAINT	13	⊠					(1)	(15)	(15)	(15)	(15)	(14)
TOILET	14			○			○					●			9'-0"	EPOXY PAINT	14	⊠					(1)	(15)	(15)	(15)	(15)	(14)
MECH. / ELEC.	15				○			○					●		----	EPOXY PAINT	15			●			(1)	(2)	(2)	(2)	(2)	(9) EPOXY PAINT
BREAKROOM	16	○								○	○				9'-0"		16			●			(24)	(2)	(2)	(2)	(2)	(10)(18)(19)
EX. BOARD ROOM	17		○					○			○	●			9'-0"		17			●			(1)(24)	(2)	(2)	(2)	(2)	(8)(9)

GENERAL NOTE:

PROVIDE CONCRETE HARDENER AT ALL CHASE LOCATIONS

COORDINATE ALL COLORS & THEIR LOCATIONS, QUANTITIES, ETC. W/ THE ARCHITECT PRIOR TO ACQUIRING MATERIALS

1 ROOM FINISH SCHEDULE

⊠ SCHEDULE ORIENTED SAME AS PLAN

◯ INDICATES MATERIAL IN A GIVEN AREA

⊠ MATERIAL ON ALL SURFACES

⊠ MATERIAL ON EACH INDIVIDUAL SURFACE

● IF CIRCLE IS BLACKENED - SURFACE TO RECEIVE PAINTER'S FINISH

○ IF CIRCLE IS BLANK - SURFACE OR MATERIAL IS PREFINISHED OR NOT PAINTED

PAINT:

(1) GYP. BOARD CEILINGS: SHERWIN-WILLIAMS - SW7006 - EXTRA WHITE
(2) WALLS - FIELD: SHERWIN-WILLIAMS - SW7008 - ALABASTER
(3) WALL - ACCENT WALL: SHERWIN-WILLIAMS - SW7052 GRAY AREA
(4) H.M. DOORS & FRAMES : SHERWIN-WILLIAMS - SW6992 - INKWELL
(5) MISCELLANEOUS METALS & EXPOSED STRUCTURE : SHERWIN-WILLIAMS - SW6992 - INKWELL
(6) WOOD DOORS & MILLWORK: ARCHITECTURAL WOOD DOORS - TO BE SELECTED BY ARCHITECT FROM MANUFACTURER'S STANDARD COLORS
(7) NUMBER NOT USED

PREFINISHED COLORS:

(8) CARPET TILES: INTERFACE FLOR OPENAIR - COLOR "A" : 410-106970 NATURAL - COLOR "B": 410-107741 EBONY
(9) RUBBER WALL BASE: ROPPE - 100 BLACK
(10) TERRAZZO TILE COLOR: FLOORAZZO GEM COLLECTION - ESPRESSO MACCHIATO
(11) TERRAZZO TILE COLOR: FLOORAZZO GEM COLLECTION - PEARL
(12) GROUT: COLOR 1 COLOR TO BE SELECTED BY ARCHITECT FROM ALL MFR. COLORS
(13) GROUT: COLOR 2 COLOR TO BE SELECTED BY ARCHITECT FROM ALL MFR. COLORS
(14) CERAMIC TILE FLOORS: DALTILE - SYNCHRONIC - GREY SY33 OR TILEBAR - MARBELLA - GREIGE GRAY
(15) CERAMIC TILE WALLS & BASE: DALTILE - SYNCHRONIC - WHITE SY30 OR TILEBAR - MARBELLA - DESERT SAND BEIGE W/ MTL. TRIM @ ALL OUTSIDE CORNERS
(16) CERAMIC WALL PANELS: COLOR "A" CROSSVILLE - FOKOS 5.6 - SALE L3914 COLOR "B" CROSSVILLE - FOKOS 5.6 - ROCCIA - L3916
(17) ACOUSTICAL BLADES: ARMSTRONG - WHITE
(18) SOLID SURFACE (COUNTERTOPS) :CORIAN - NIGHT SKY
(19) PLASTIC LAMINATE (FACING AND EDGING) : WILSONART - TO BE SELECTED BY ARCHITECT FROM MANUFACTURER'S STANDARD COLORS
(20) WOOD VENEER WALL PANEL SYSTEM: PANEL SPECIALISTS, INC. - COLOR #1 / COLOR #2 : TO BE SELECTED BY ARCHITECT FROM MANUFACTURER'S STANDARD COLORS
(21) VINYL "T" EDGING: - COLOR TO BE SELECTED BY ARCHITECT FROM ALL MFR. COLORS
(22) MELAMINE: COLOR TO BE SELECTED BY ARCHITECT FROM ALL MFR. COLORS
(23) NUMBER NOT USED
(24) 2 X 2 ACOUSTICAL LAY - IN TILES - TEGULAR EDGE : REFER SPECIFICATIONS
(25) INTERIOR SIGNAGE: MOHAWK SIGN SYSTEMS - BLACK W/ WHITE LETTERS
(26) NUMBER NOT USED
(27) NUMBER NOT USED
(28) NUMBER NOT USED

EXTERIOR COLORS:

(29) INSULATING GLASS PANELS : MAPESPAN - SPANDDEL GLASS - WARM GRAY
(30) MASONRY BRICK VENEER - CLOUD CERAMICS - LIGHT IVORY VELOUR
(31) MASONRY BRICK VENEER - KANAS BRICK - 500 CHESTNUT
(32) PREFINISHED METAL SOFFIT PANEL: BERRIDGE - MATTE BLACK
(33) PREFINISHED METAL COPING: BERRIDGE - COLOR #1 : @ HIGH ROOF - CITY SCAPE / COLOR #2 : @ LOW ROOF - MATTE BLACK
(34) PREFINISHED METAL WALL PANEL: LAMINATORS, INC. - BLACK
(35) MASONRY MORTAR - COLOR TO BE SELECTED BY ARCHITECT FROM ALL MFR. COLORS

2 COLOR SCHEDULE △1

AGP
the Abla Griffin Partnership L.L.C.

313 S. E. 5th Street
MOORE, OK. 73160
405.735.3477
AGP@theAGP.net
www.theAGP.net

FLAT LAND
CIVIL

KFC ENGINEERING
STRUCTURAL

SALAS O'BRIEN
MECHANICAL / ELECTRICAL

STATE OF OKLAHOMA
MICHAEL L. ABLA
2639
REGISTERED ARCHITECT
8/20/26

CG
drawn by

MA
checked by

JULY 2026
date

revisions
△1 ADDENDUM #2

MOORE PUBLIC SCHOOLS


ASC BOARDROOM
STORM SHELTER
BUILDING

sheet no:
A601


ROOM FIN. SCHEDULE

OWNERSHIP USE OF DOCUMENTS:

AGP EXPRESSLY RESERVES ITS COPYRIGHT AND OTHER PROPERTY RIGHTS OF ALL PLANS AND DRAWINGS DESIGNED AND/OR PRODUCED. PLANS AND DRAWINGS ARE NOT TO BE REPRODUCED IN ANY FORM OR MANNER WITHOUT THE EXPRESSED WRITTEN CONSENT OF AGP.




1 E. WALL ROOM # 2
1/4" = 1'-0"




3 SECTION COUNTER
1 1/2" = 1'-0"


FRAMELESS CABINET / EUROPEAN CONSTRUCTION IS IS ACCEPTABLE




4 DOOR @ WALL




5 PULLS




6 DOORS @ STILE




7 RECESSED STANDARDS




8 HARDWOOD EDGE



9 DRWR. TO DRWR.



10 SHELF EDGE



2 SECTION
1 1/2" = 1'-0"

AGP
the Abla Griffin Partnership L.L.C.
313 S. E. 5th Street
MOORE, OK. 73160
405.735.3477
AGP@theAGP.net
www.theAGP.net

FLAT LAND
CIVIL

KFC ENGINEERING
STRUCTURAL

SALAS O'BRIEN
MECHANICAL / ELECTRICAL

STATE OF OKLAHOMA
MICHAEL L. ABLA
26.39
OKLAHOMA CITY, OKLAHOMA
REGISTERED ARCHITECT
8/20/26

CG
drawn by

MA
checked by

JULY 2026
date

revisions
1 ADDENDUM #2

MOORE
PUBLIC SCHOOLS

ASC BOARDROOM
STORM SHELTER
BUILDING

sheet no:

A701

OWNERSHIP USE OF DOCUMENTS:

AGP EXPRESSLY RESERVES ITS COPYRIGHT AND OTHER PROPERTY RIGHTS OF ALL PLANS AND DRAWINGS DESIGNED AND/OR PRODUCED. PLANS AND DRAWINGS ARE NOT TO BE REPRODUCED IN ANY FORM OR MANNER WITHOUT THE EXPRESSED WRITTEN CONSENT OF AGP.

ADDENDUM 02

Issue Date: November 2, 2026

Project Information

Client: Abla Griffin Partnership
Project Name: ASC Boardroom Building
Project Location: Moore, OK
Owner: Moore Public Schools
Engineer: Salas O'Brien, Inc

Project No. 2650-00986-00

To Prospective Bidders

- This Addendum forms a part of the Contract Documents and modifies the Bidding Documents dated August 14, 2026, (and previous Addenda), with amendments and additions noted below.
- This Addendum consists of (2) pages and (6) attachments.
  - Index of Attachments
    - Firetrol Protection Systems Proposal
    - P101
    - P110
    - P301
    - M101
    - E201

- Acknowledge receipt of this Addendum in the space provided on the Bid Form. Failure to do so may disqualify Bidder.

CHANGES TO BIDDING REQUIREMENTS

- The attached Firetrol Protection Systems proposal shall be included as part of the electrical bid for this project.

2900 S. Telephone Rd., Suite 120
Moore, Oklahoma 73160

405.364.9926
salasobrien.com

CHANGES TO THE DRAWINGS

Revisions have been made to the following drawings and are issued in the form of full-size plans. Edits are indicated by a revision delta and a cloud surrounding the affected portion of the drawing.

- P101 – PLUMBING PLAN – BELOW GRADE
  - Refer to clouds and deltas for changes on plan.
- P110 – PLUMBING PLAN – ABOVE GRADE
  - Refer to clouds and deltas for changes on plan.
- P301 – PLUMBING ISOMETRICS
  - Refer to clouds and deltas for changes on plan.
- M101 – MECHANICAL PLAN
  - Refer to clouds and deltas for changes on plan.
- E201 – ELECTRICAL POWER PLAN
  - Refer to clouds and deltas for changes on plan.

END OF ADDENDUM [02]

FIRETROL
Protection Systems

September 30th 2026

TO: Salas O Brein
2900 S Telephone Rd, Suite 120
Moore, OK 73160

RE: Moore Public Schools ASC Boardroom Building - Special Systems Proposal

Thank you for allowing Firetrol Protection Systems to submit pricing regarding the Moore Public School ASC Board Room project in Moore, OK. Below is the scope of work and pricing concerning the project.

Firetrol Proposals - please see the document for each system proposal and clarifications, this proposal **excludes** any additional addendum and clarifications not presented at time of bid.

Access Control, Security, CCTV, Intercom/Clock, Structured Cabling, DAS, and Fire Alarm Proposal $358,448.00

Audio Visual $300,000.00

Please note this proposal is valid for thirty days (30) from the date of this proposal. A tax-exempt letter must be provided to Firetrol at the time of Contract Award. Please feel free to call if you have any questions or concerns.

Richard Sandoval
Security/Communications Estimator
405-795-0029
rsandoval@firetrol.net
Richard Sandoval

Wesley Biel
Fire Alarm Estimator
405-655-0028
wbiel@firetrol.net
Wesley Biel

_____ _____
Authorized Signature Printed Name

_____ _____
Date Purchase Order Number

Basis of Design:

1. The Access Control System, Intrusion Detection System, CCTV System, Intercom/Clock System, Data/DAS and Fire Alarm will be designed in accordance with the bid documents.
   - **a.** Plans provided by Salas O'Brien, plans dated august 2026
   - **b.** All equipment locations and specifications to be installed per construction documents T000, T001, T101, T201, T202, T203, T301, T302, T303, T304, and T305. Dated 08.26
   - **c.** All Power requirements for any system operation is to be provided by the electrical contractor.
   - **d.** All penetrations into Storm Shelter will be large enough to accommodate all Low Volt systems passage, a minimum of four (4) 4-inch sleeves will be required.
2. This proposal **does not include** sales tax, a tax-exempt letter is to be issued to Firetrol at the time of contract award.
3. This proposal **does not include** demolition of any system. All demolition tasks will be the responsibility of others.

Access Control Scope of Work:

- Firetrol to provide and install equipment and materials for four (4) access control doors per print T101. The access control doors will contain card readers, door contacts, rex motions, and strikes per the supplied specifications listed on print T302. one (1) new Keyscan Access Controllers are to be installed in the MDF location shown on print T202.
- Firetrol will provide and install j-hook cable supports for access control cabling, sleeve installation is excluded.
- Firetrol to program access control to MPS Specifications.
- This access control proposal **does not include** software, workstations, or installation of owner-provided equipment.
- This access control proposal **does not include** connecting to the Fire alarm relay; this will be provided by the fire alarm Contractor.
- This access control proposal **does not include** conduits or pathways and will be provided by the Electrical contractor per plan specifications.

Security Scope of Work:

- Firetrol to provide and install equipment and materials for new DMP security system, security system to monitor eight (8) doors, one (1) new control panel, two (2) keypads, one (1) overhead door contacts, one (1) sirens and eight (8) wireless hold up buttons shown on print T101 dated 08/26.
- All new equipment is to operate a stand-alone system.
- Programming of the security system is to be completed to Moore Public School Specifications.
- Firetrol will provide and install j-hook cable supports for Security System cabling, sleeve installation is excluded.
- This security proposal **does not include** reusing any existing field devices or wiring.
- This Security proposal **does not include** a provision for monitoring.
- This Security proposal **does not include** conduits or vertical pathways and will be provided by the electrical contractor
- This Security proposal **does not include** installing or connecting the HVAC low-pressure switches to the security system.
- Moore Public Schools are to program all user codes into the system.
- Moore Public Schools are to provide all zone naming before system programming commences.
- The device locations are approximate and may vary from the actual installation locations. As-build plans will be provided at the conclusion of the installation to more closely reflect device locations and zone numbers.
- This proposal does not include conduits or pathways and will be provided by the electrical contractor per plan specifications.

CCTV Scope of Work:

- Firetrol to provide and install equipment and materials for a total of nine (9) cameras as shown on print T101.
- Firetrol to provide and install one (1) server as listed in the specifications on print T303.
- Firetrol to provide and install one (1) UPS as listed on T303.
- Firetrol to provide programming and installation of cameras, and servers, to MPS specifications.
- Firetrol to provide and install materials for manufacturer-required mounting of cameras.
- This CCTV proposal **does include** a camera license ACC-7-ENT for each camera to be installed on server.
- This CCTV proposal **does include** final Field of View (FOV) adjustments with the owner, up to eight (8) hours.
- This CCTV proposal **does not include** software, workstation, or installation of owner-provided equipment.
- This CCTV proposal **does not include** conduits or pathways and will be provided by the Electrical contractor per plan specifications.

Structured Cabling Scope of Work:

- Firetrol to provide and install ninety-six (96) Cat6 cables at locations shown on print T101 for data, cameras and Wireless access points. All cables are to be terminated using Leviton Cat6 Jacks, housed in the white 6-port faceplate or surface-mount boxes. All cables and jacks will utilize the color cabling scheme listed on print T301 and be labeled according to Moore Public Schools specifications as listed on print T301.
- Provide and install five (5) Leviton 24-port patch panels for new cables.
- Provide and install five (5) CPI 2U horizontal wire managers for patch cord mediation.
- Provide and install one (1) CPI 2-post racks to be installed in MDF Location on print T101.
- Electrical contractor to provide all conduit junctions and pathway penetrations.
- Provide and install J-hooks to create horizontal pathways for data cabling; sleeve installation is excluded.
- Provide and install one (1) network cable for new DMP security panel.
- Provide and install one (1) network cable for new Keyscan Access Control panel.
- Provide and install one (1) network cable for new Celfi-DAS System Controller.
- Provide and install one (1) Network cable for new Fire Alarm Panel.
- Provide and label patch cords are to be labeled per MPS specifications on T301.
- Provide and install 24 strand multimode to Admin Building existing MDF as shown on print T001.
- Firetrol to provide and install bonding of MDF Rack, electrical contractor to provide main busbar and main grounding to MDF location as shown on print T201.
- A minimum of two (2) 4-inch sleeves will be required for cabling into the storm shelter.
- Provide testing of all CAT6 cabling installed by Firetrol.
- Provide closeout documents showing labels of all cabling installed by Firetrol.
- Firetrol to ensure that all cabling supplied and installed by Firetrol is properly registered with Leviton, qualifying the installation for the manufacturer's 25-year warranty

Distributed Antenna System (DAS) Scope of work:

- Firetrol to provide and install the following materials for DAS system Cel-fi Quatra 4000c
- Provide and install three (3) A62- V44 -201-LPDA R Donor Antenna, 617 4000MHz,N type.
- Provide and install one (1) Q44 -1M34CNU-QUATRA 4000c,2/4/5/12/13/25/30/48/71,Modem,NU,Smart Booster.
- Provide and install one (1) Q41 -RECU-QUATRA 4000c,2/4/5/12/13/25/30/48/71,CU,Smart Booster
- Provide and install two (2) indoor antennas in the safe room.
- Provide and install 1/2" plenum heliax cable for interior and exterior antenna connections.
- Provide and install an antenna mast on the back side of the building away from the main street viewing.
- All exterior penetrations will be provided by the Electrical contractor.
- This proposal **does not include** additional material if a post installation test shows to require additional antennas inside the safe room. If additional antennas are needed for adequate coverage, a change order will be required.
- This proposal **does not include** conduit for system installation. This will be provided and installed by the electrical contractor.
- This proposal is based on the current outside cellular signal being adequate for the system. No provisions have been made to address inadequate cellular signal.

Intercom/Clocks Scope of Work:

- Provide and install intercom and clocks per print T101 dated 08/2026.
- Provide and install intercom cabling and clock cabling as needed for operations.
- Firetrol to provide and install equipment and materials for devices shown on print T101. Dated 08/2026
- All cabling to be labeled before device installation.
- This proposal **does not include** exterior conduits or pathways and will be provided by the electrical contractor per plan specifications.
- This proposal does not include any 120-volt power requirements needed for operation. All power requirements will be provided by the electrical contractor.

Fire Alarm Scope of Work:

Firetrol Protection Systems is providing an estimate to install a new code compliant fire alarm system. The alarm system will be fully addressable. Fire alarm system will be Silent Knight as specified in the bid documents.

Estimated Materials:

Quantity	Part Number	Description
1	6820U	ADDRESSABLE ALARM PANEL
1	PATHWAY	FIRE ALARM CELL UNIT
12	NAC-LED	STROBES and HORN STROBES LED WHITE CEILING
1	SK-SMOKE	SMOKE DETECTOR
3	SK-PULL	PULL STATION
1	PERMIT	PERMIT AND SITE REVIEW WITH AHJ
1	LABOR	INSTALL, TESTING, PROGRAMMING

Audio Visual Scope of Work:

- Firetrol to provide and install AV system as listed T305 and at locations on print T101
- Provide and install AV cabling as needed for operation
- This proposal does not include any 120-volt power requirements needed for operation. All power requirements will be provided by the electrical contractor.
- Provide programming, configuration, system setup, and integration of all AV equipment.
- Provide testing and commissioning of the complete audiovisual system.
- Provide a basic operational demonstration to the Owner upon completion.
- Existing or Owner-furnished equipment incorporated into the system shall be accepted as provided.

- Firetrol shall not be responsible for the condition, compatibility, performance, repair, replacement, or warranty of existing or Owner-furnished equipment.

Inclusions & Exclusions:

- This proposal **does include** cable or cable support.
- This proposal **does include** a **one (1)** year Standard Parts and Labor Warranty.
- This proposal **does include** the utilization of the existing Keyscan System deployed by Moore Public Schools.
- This proposal **does include** the utilization of the existing DMP System deployed by Moore Public Schools.
- This proposal **does include** the utilization of the existing Avigilon System deployed by Moore Public Schools.
- This proposal **does not include** any exterior penetrations or grounding requirements needed for roof penetrations. These are to be supplied by the electrical contractor.
- This proposal **does not include** door hardware all hardware is to be provided by others.
- This proposal **does not include** Automatic Door Opening hardware, all hardware is to be provided by others.
- This proposal **does not include** premium time; overtime or holiday work required due to project delays created by others will be justification for a Change Order.
- This proposal **does not include** access panels or penetrations, cutting, or coring. These items shall be provided and installed by **others**.
- This proposal **does not include** painting, patching, sheetrock repairs, etc., for areas where the current device has been removed.
- This proposal **does not include** fire stopping, and Fire-rated caulking shall be provided and installed by **others**.
- This proposal **does not include** the installation of workstations.
- This proposal **does not include** the installation of any software.
- This proposal **does not include** a provision for fire alarm door release.
- This proposal **does not include** conduits or pathways and is to be provided by **others**.
- This proposal **does not include** the installation or connection of the HVAC low-pressure switches to the security system.
- This proposal **does not include** the integration of existing or proposed systems into a unified platform.
- This proposal **does not include** the demolition of devices, cables, etc., associated with the existing system.
- This proposal **does not include** new ceiling tiles. Firetrol will do its best not to damage existing tile during removal and replacement. Tiles needing to be replaced due to the removal of old devices will be done by **others.**
- This proposal **does not include** lifts, scaffolding, etc., to access high areas. If needed, any specialty lifts or scaffolding will be provided by **others**.
- This proposal **does not include** applicable permits for access control.
- This proposal **does not include** performance or payment bonds.
- This proposal **does not include** installation to be UL-Certified
- This proposal **does not include** access control credentials and credential programming.
- Customer is to provide all network information, network port, and network programming needed for communication with the existing Keyscan database deployment.
- The proposal is based on single-phase construction; this proposal has no provisions for re-mobilization fees.
- Customer is to provide a 110VAC outlet within five feet of the proposed control panel locations.
- Pricing is based on unrestricted access during normal working hours M-F 8-5
- Customer is to provide keys and access control credentials for access to all areas of the building for expedited installation
- Cancellation Charges: in the event of project cancellation after award, Firetrol Protection Systems will invoice for any costs in place (i.e., engineering, project management, material returns, etc.).
- Terms and conditions of the Owner's Purchase Order/Contract shall be subject to review. Final agreement to terms shall be by written agreement between the Contractor and Firetrol Protection Systems and be based on Firetrol Protection Systems Standard Terms and Conditions or a contract in like nature to a standard AIA subcontract document.
- Due to the current global supply chain issues and its effect on most of our suppliers, Firetrol will not be held liable for any damages for any delays caused by product availability. Firetrol will do its best to secure all material and equipment required immediately upon approval of all submittals.
- In consideration of current market pricing volatility on raw material and other construction related products due to potential US tariffs and the project duration, we have included current material pricing and request that commercial terms include allowance for pricing adjustments based on the Bureau of Labor and Statistics (BLS) Producer Price Index (PPI) and/or actual tariff costs based on the country of origin for any material included in this quote. Inclusion of mutually agreeable application of the BLS PPI and/or tariff costs allows for equitable pricing updates to an agreement based on current competitive market conditions.

General Terms & Conditions

ENTIRE CONTRACT
The provisions herein contained constitute all of the terms and conditions of this contract. No changes or additions hereto shall be binding upon Seller unless in writing and signed by an authorized representative of Seller. Any terms or conditions of Purchaser's order inconsistent herewith or in addition hereto shall be of no force and effect and are hereby expressly rejected and Purchaser's order shall be governed by only the terms and conditions appearing herein.

PROPOSALS AND CONTRACT
Seller's proposals, when accepted, and any resulting contract, are not subject to cancellation, suspension or reduction in amount, except with Seller's written consent and upon terms, which reimburse Seller for work performed, reasonable overhead and lost profit.

PAYMENT
Terms of payment have been set at net 10-days. A service charge will be charged and added to the prices on all payments past due and owed by the Purchaser under this contract, at a rate of 25% per annum, or if such rate is prohibited under applicable law, then at such maximum rate as is under applicable law. Purchaser shall pay all attorney's fees incurred in the collection of past due accounts.

DELAYS
Seller shall not be liable for any damage or penalty for delays in work due to acts of God, acts or omissions of the Purchaser, acts of civil or military authorities, Government regulations or priorities, fires, floods, epidemics, quarantine restrictions, war, riots, strikes, differences with workmen, accidents to machinery, car shortages, inability to obtain necessary labor, materials or manufacturing facilities, delay in transportation, defaults of Seller's subcontractors, failure of or delay in furnishing correct or complete information by Purchaser with respect to location or other details of work to be performed hereunder, impossibility or impracticability of performance or any other cause beyond the control of Seller, whether or not similar to the foregoing. In the event of any delay caused as aforesaid, the completion shall be extended for a period equal to any such delay, and this contract shall not be void or avoidable as a result of any such delay. In case work is temporarily discontinued by reason of any of the foregoing, all unpaid installments of the contract price less an amount equal to the value of material and labor not furnished shall be due and payable upon receipt of the invoice by Purchaser.

EXCAVATION
In the event the work herein includes excavation, the Purchaser shall pay as an extra to the contract price the cost for any additional work performed by the seller due to water, quicksand, rock or other unforeseen obstruction encountered or if shoring is required.

SITE FACILITIES
Purchaser shall furnish all necessary facilities for performance of its work by Seller, adequate space for storage and handling of material, light, water, heat, local telephone, watchman and crane and elevator service, if available, and necessary permits. Where wet pipe system is installed, Purchaser shall supply and maintain sufficient heat to prevent freezing of the system.

STRUCTURE AND SITE CONDITIONS
While employees of Seller will exercise reasonable care in this respect, Seller shall be under no responsibility for loss or damage due to the character, condition or use of foundations, walls, or other structures not erected by it or resulting from excavation in proximity thereto, nor for damage resulting from concealed piping, wiring, fixtures or other equipment or conditions or water pressure. All shoring or protection of foundations, walls, or other structures subject to being disturbed by any excavation required hereunder shall be the responsibility of the Purchaser unless otherwise specified. Purchaser warrants the sufficiency of the structure to support the fire alarm and/or fire sprinkler system and its related equipment. The purchaser shall have all things in readiness for service, including, but not limited to, other materials, floor or suitable working base, connections, and facilities at the time technician is onsite. In the event the purchaser fails to have all things in readiness for service at the jobsite, the Purchaser shall reimburse Seller for any and all expenses caused by such failure to have such things in readiness. Failure to make areas available to Seller during performance in accord with schedules, which are the basis of Seller's proposal, shall be considered a failure to have all things in readiness for erection in accord with the terms of this contract.

INTERFERENCE'S
Purchaser shall be responsible to coordinate the work of other trades (ducting, piping, electrical, etc.) and Purchaser shall be responsible for additional costs incurred by Seller arising out of interferences to Seller's work caused by such other trades.

LIMITATIONS OF LIABILITY
The Seller makes NO WARRANTIES, EXPRESS, OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF MERCHANTABILITY AND WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE. No promise not contained herein or affirmation of fact made by any employee, agent or representative of the Seller shall constitute a warranty by the seller or give rise to any liability or obligation. Seller's liability to Purchaser for personal injury, death, or property damage arising from the performance under this contract shall be limited to the contract price. Purchaser shall hold Seller harmless from any and all third-party claims for personal injury, death or property damage, arising from Purchaser's failure to maintain these systems or keep them in operative condition, whether based upon contract, warranty, tort, strict liability or otherwise. In no event shall Seller be liable for any special, indirect, incidental, consequential or liquidated, penal or any economical damage of any character, including but not limited to loss of use of the Purchaser's property, lost profits or lost production, whether claimed by the Purchaser or by any third party, irrespective of whether claims or actions for such damages are based upon contract, warranty, negligence, tort, strict liability or otherwise.

WARRANTY
Seller agrees that for a period of one (1) year after completion of said service it will, at its expense, repair or replace defective materials or workmanship supplied or performed during this service/repair by Seller. Upon completion of the service work, the system will be turned over to the Purchaser fully inspected, tested, and in operative condition. As it is thereafter the responsibility of the Purchaser to maintain it in operative condition, it is understood that the Seller does not guarantee the operation of the system. Seller further warrants the products of other manufacturers supplied hereunder, to the extent of the warranty of the respective manufacturer but no longer than one-year. ALL OTHER EXPRESS OR IMPLIED WARRANTIES OF MERCHANTABILITY OF FITNESS OR OTHERWISE ARE HEREBY EXCLUDED.

MODIFICATIONS AND SUBSTITUTIONS
Seller reserves the right to modify material of Seller's design sold hereunder and/or the drawings and specifications relating thereto, or to substitute material of later design to fulfill this contract providing that the modifications or substitutions will not materially affect the performance of the material, or lessen in any way the utility of the material to the Purchaser.

SEVERABILITY
Should any part, term, or provision of this contract be found by the courts to be illegal or in conflict with any law of the state where made, the validity of the remaining portions or provisions shall not be affected thereby.

ASSIGNMENT
Any assignment of this contract by Purchaser without the written consent of Seller shall be void. Seller may assign this contract to its subsidiaries and affiliates.

CHANGES, ALTERATIONS, ADDITIONS
Changes, alterations, and additions to the plans, specifications, or construction schedule for this contract shall be invalid unless approved in writing by Seller. Changes approved by Seller, which increase or decrease the cost of work to Seller, shall constitute a corresponding increase or decrease in the contract price as herein provided. The value of additional work shall be agreed upon in writing prior to the performance of said work. However, if no agreement is reached prior to the performance of additional work approved in the manner herein described, and Seller elects to continue performance so as to avoid delays, then the estimate of Seller's Estimating Department as to the value of the work shall be deemed accepted by the Purchaser.

PRICES
In addition to the prices specified herein, Purchaser shall pay for all extra work requested by Purchaser or made necessary because of incompleteness of or inaccuracy in plans or other information submitted by Purchaser with respect to location, type of occupancy, or other details of work to be performed hereunder. In the event the layout of Purchaser's facilities has been

altered, or is altered by Purchaser prior to completion of this contract, Purchaser shall advise Seller, and prices, delivery, and completion dates quoted herein shall be changed by Seller as may be required.

LEGAL NOTICE

For the purposes of any notice permitted or required to be given hereunder, such notice or notices shall be deemed given when received.

CLAIMS

Any claims against Seller arising hereunder shall be deemed waived unless they are presented in writing, with particulars, within ten (10) days after they arise.

TERMS AND CONDITION/TECHNICAL SPECIFICATIONS

The terms and conditions specified herein shall be in addition to those put in Seller's technical specifications and Seller's authorized representative shall resolve any inconsistencies.

ARBITRATION

At the option of the Seller, any controversy or claim arising out of or relating to this contract, or the breach thereof, shall be settled by arbitration in accordance with the Rules of the American Arbitration Association, and judgment upon the award rendered by the Arbitrator(s) may be entered in any court having jurisdiction thereof. Any arbitration proceeding shall be held in Oklahoma.

OVERTIME

Unless otherwise specified by Purchaser, all service work will be performed during regular working hours. If Purchaser shall require any overtime labor, Purchaser agrees to reimburse Seller for the overtime premium cost including all related payroll costs, plus Seller's overhead and profit, payable monthly, one (1) month after overtime expense was incurred.

PROPRIETARY DATA

All specifications, drawings, designs, descriptive matter, and other data furnished by Seller to Purchaser pertaining to the work proposed herein shall be deemed proprietary and shall be kept in confidence by Purchaser and shall not be disclosed to any third party except as may be necessary in the performance of any contract with the Seller. In the event Seller requests the return of any such proprietary material and/or any reproductions thereof, Purchaser shall promptly return the same to Seller.

DEFAULT


In case of any default by Purchaser, Seller shall be entitled to payment for all work performed, all termination costs incurred, and any other costs incurred by Seller, including overhead and profit. All such remedies of Seller are cumulative and not exclusive. Default by Purchaser shall consist of: Failure to pay any installment of price when due, no demand being necessary, or any act or omission on the part of Purchaser whereby Seller is prevented from completing said service, or receivership, bankruptcy, assignment for the benefit of creditors or any other form of insolvency proceedings by or against Purchaser or in case said premises or said system shall be attached, liened or seized by process of law and such attachment or lien shall not be vacated or seizure terminated within ten (10) days after its occurrence.

BACK CHARGE

No charges shall be levied by the Purchaser against the Seller unless (48) hrs prior written notice is given to Seller to correct any alleged deficiencies/ clean-up which necessitates such charges and unless deficiencies are the direct fault of Seller.

OSHA

Purchaser will indemnify and hold harmless the Seller from and against any claims, demands or damages resulting from the enforcement of the Occupational Safety Health Act (Public Law 91-596), unless said claims, demands or damages are a direct result of causes within the exclusive control of Seller.



N 1 **PLUMBING PLAN - BELOW GRADE**
Scale: 1/8" = 1'-0"

GENERAL NOTES

1. COORDINATE WORK WITH ALL OTHER TRADES ON SITE.
2. FIELD VERIFY EXISTING CONDITIONS PRIOR TO COMMENCING WORK.
3. REFER TO PLUMBING FIXTURE SCHEDULE ON SHEET P601 FOR FIXTURE ROUGH-IN PIPE SIZES. REFER TO ISOMETRICS SHEET P301 FOR ADDITIONAL PIPE SIZES.
4. PRIOR TO COMMENCING WORK, COORDINATE WITH SITE CONTRACTOR FOR SANITARY SEWER AND WATER INVERT ELEVATIONS.
5. PIPE TRENCHES SHALL HAVE SAND BEDDING TO A MINIMUM POINT 6" ABOVE THE TOP OF PIPE. REFER TO SPECIFICATIONS.
6. INSTALL BELOW FLOOR 1/2" CW LINE TYPE K COPPER OR PEX-a FOR TRAP PRIMER TO FLOOR DRAINS. SLOPE LINE CONTINUOUSLY TOWARDS DRAIN. SEE DETAILS 1/P501 AND 5/P501.
7. COORDINATE ALL BELOW GRADE PIPE ROUTING WITH STRUCTURAL FOUNDATIONS AND REQUIRED PIPE SLEEVES THRU FOUNDATION PENETRATIONS.
8. INSTALL TRACER WIRE ABOVE EXTERIOR NON-METALLIC PIPING BELOW GRADE.
9. CONTRACTOR SHALL COORDINATE ALL STORM SHELTER WALL AND ROOF PENETRATIONS WITH STRUCTURAL. REFER TO STRUCTURAL DETAIL SHEET FOR PENETRATION PROTECTION FOR RECTANGULAR OPENINGS GREATER THAN 3.5 SQUARE INCHES AND CIRCULAR OPENINGS GREATER THAN 2.125 INCHES PER 2014 ICC-500.

PLUMBING KEYED NOTES

1	COORDINATE WITH STRUCTURAL FOR INSTALLATION OF PIPE SLEEVE THRU OR BELOW FOUNDATION WALL FOR PIPE.
2	COORDINATE WITH STRUCTURAL FOR INSTALLING PIPE SLEEVE THRU CONCRETE FLOOR FOR WATER PIPE. INSTALL FOAM PIPE INSULATION ON WATER PIPE IN SLEEVE. SEAL PIPE SLEEVE WATER TIGHT ON EACH END.
3	INSTALL NATURAL GAS ANODELESS RISER TRANSITION FROM BELOW GRADE MDPE PIPE TO ABOVE GRADE BLACK IRON PIPE.
4	INSTALL CLEANOUTS IN CONCRETE PAD AT GRADE. SEE DETAIL 4/P501.
5	COORDINATE WITH SITE CONTRACTOR FOR ROUTING NATURAL GAS PIPE TO AVOID CONFLICTS WITH OTHER UTILITIES.

AGP
the Abla Griffin Partnership L.L.C.

313 S. E. 5th Street
MOORE, OK. 73160
405.735.3477
AGP@theAGP.net
www.theAGP.net

FLAT LAND
CIVIL

KFC ENGINEERING
STRUCTURAL

SALAS O'BRIEN
MECHANICAL / ELECTRICAL

PROFESSIONAL ENGINEER — Raymond McDonald Kopp — 29322 — OKLAHOMA — 11/02/26

KP
drawn by

KP
checked by

AUGUST 2026
date

REVISIONS

Δ	DESCRIPTION	DATE
1	ADDENDUM #2	11/02/2026

MOORE PUBLIC SCHOOLS

MPS ASC
BOARDROOM
BUILDING

sheet no:

P101


Salas O'Brien

Salas O'Brien Inc. - Oklahoma City
2900 S. Telephone Road, Suite 120
Moore, OK 73160
CA#: 9820 Expiration Date: 06/30/27

Salas O'Brien Project Number: 2650-00986-00

OWNERSHIP USE OF DOCUMENTS:

AGP EXPRESSLY RESERVES ITS COPYRIGHT AND OTHER PROPERTY RIGHTS OF ALL PLANS AND DRAWINGS DESIGNED AND/OR PRODUCED. PLANS AND DRAWINGS ARE NOT TO BE REPRODUCED IN ANY FORM OR MANNER WITHOUT THE EXPRESSED WRITTEN CONSENT OF AGP.



N 1 **PLUMBING PLAN - ABOVE GRADE**

Scale: 1/8" = 1'-0"

GENERAL NOTES

1. COORDINATE WORK WITH ALL OTHER TRADES ON SITE.
2. FIELD VERIFY EXISTING CONDITIONS PRIOR TO COMMENCING WORK.
3. PROVIDE WATER HAMMER ARRESTORS (HA) ON WATER LINES TO FLUSH VALVES, SENSOR FAUCETS AND QUICK CLOSING VALVES. LOCATE UNITS IN ACCESSIBLE LOCATIONS.
4. SINK AND LAVATORY WATER SUPPLY STUB OUTS SHALL BE COPPER PIPE WITH SUPPORT BRACKET FASTENED IN WALL CAVITY.
5. REFER TO PLUMBING FIXTURE SCHEDULE ON SHEET P601 FOR FIXTURE ROUGH-IN PIPE SIZES. REFER TO ISOMETRIC SHEET P301 FOR ADDITIONAL PIPE SIZES.
6. PROVIDE ACCESS PANELS FOR ALL VALVES/DEVICES ABOVE HARD CEILINGS AND BEHIND WALLS. INSTALLING CONTRACTOR TO COORDINATE EXACT LOCATION OF VALVES AND ACCESS PANELS WITH ARCHITECT PRIOR TO INSTALLATION OF PIPING.
7. ALL GAS PIPE SHALL COMPLY WITH IFGC. BRANCH LINES SHALL TAP OFF TOP OF GAS MAINS AND INSTALL SHUT-OFF VALVE ON BRANCH LINE.
8. TRAP PRIMER LINES SHALL BE COPPER TYPE "K" OR PEX-a TUBING WITH CONTINUOUS SLOPE TOWARDS DRAIN CONNECTION.
9. COORDINATE HEIGHT OF EXTERIOR FREEZELESS WALL HYDRANT (FWH) WITH GC AND/OR ARCHITECT. SEAL FIXTURE FLANGE WATERTIGHT.
10. FIRE SEAL ALL PENETRATIONS THRU RATED STRUCTURES TO MAINTAIN FIRE RATING.
11. INSULATE ALL WATER PIPING ABOVE CEILING.
12. CONTRACTOR SHALL COORDINATE ALL STORM SHELTER WALL AND ROOF PENETRATIONS WITH STRUCTURAL. REFER TO STRUCTURAL DETAIL SHEET FOR PENETRATION PROTECTION FOR RECTANGULAR OPENINGS GREATER THAN 3.5 SQUARE INCHES AND CIRCULAR OPENINGS GREATER THAN 2.125 INCHES PER 2014 ICC-500.

PLUMBING KEYED NOTES

2	1	INSTALL 2" BALL VALVE AT 2'-0" AFF. COORDINATE CW RISER LOCATION WITH MECHANICAL EQUIPMENT.
	2	ROUTE 2" DOMESTIC WATER SERVICE UP THRU FLOOR. PROVIDE 3/4" CW BRANCH OFF RISER TO SERVE WALL HYDRANT AND TRAP PRIMER ASSEMBLIES (TP-2).
	3	INSTALL WATER HEATER ON WALL SUPPORT PLATFORM. REFER TO DETAIL 9/P501.
	4	INSTALL TRAP PRIMER ASSEMBLY ON WALL AT 4'-0" AFF. FIELD VERIFY HEIGHT TO ROUTE LINES ABOVE FLOOR TO NEAREST WALL THEN DOWN TO BELOW FLOOR. ROUTE 4 TRAP PRIMER LINES (1/2" EACH) TO FLOOR DRAINS IN ROOMS 12,13, 14 AND 15. COORDINATE POWER WITH EC. REFER TO DETAIL 5/P501.
	5	INSTALL TRAP PRIMER ASSEMBLY ON WALL AT 4'-0" AFF. ROUTE 1 TRAP PRIMER LINE (1/2" EACH) TO FLOOR DRAIN IN STORAGE ROOM 09. COORDINATE POWER WITH EC. REFER TO DETAIL 5/P501.
	6	INSTALL WATER HEATER BELOW LAVATORY DECK IN ACCESSIBLE LOCATION. COORDINATE POWER WITH EC. REFER TO DETAIL 6/P501.
	7	INSTALL TRAP PRIMER VALVE AT CW SUPPLY IN LAVATORY CABINET. ROUTE 1/2" TRAP PRIMER LINE DOWN IN WALL TO BELOW FLOOR TO FLOOR DRAIN. REFER TO DETAIL 1/P501 & 6/P501.
	8	INSTALL WATER HAMMER ARRESTOR TYPE "B" ON CW PIPE
	9	COORDINATE WITH STRUCTURAL FOR DEBRIS GUARD AT 3" VENT THRU SHELTER ROOF.
	10	INSTALL 2" OPEN SITE DRAIN FOR FCU-2 CONDENSATE DRAIN LINES. COORDINATE LOCATION AND HEIGHT WITH MC AND RAISED FLOOR.
2	11	PROVIDE 1/2" CW BRANCH TO TRAP PRIMER TP-2 TO SERVE FLOOR DRAIN IN STORAGE ROOM 9. EXTEND 1/2" CW DOWN WITH BALL VALVE TO BELOW FLOOR TO SERVE TRAP PRIMER IN MECH ROOM 8.
	12	ROUTE 1/2" CW UP FROM BELOW FLOOR TO TRAP PRIMER TP-2 ON WALL AT 8'-0" AFF. ROUTE 1/2" LINE FROM UNIT OVER TO OPEN SITE DRAIN. COORDINATE INSTALLATION WITH MC AND POWER WITH EC.
	13	ROUTE 2" CW DOWN WITH BALL VALVE TO BELOW FLOOR TO SERVE TOILET ROOMS 3 AND 4. REFER TO PLAN P101 FOR CONTINUATION..
	14	FIRE SEAL PIPE PENETRATION OF RATED WALL. REFER TO ARCHITECTURAL PLANS FOR ALL RATED WALLS.

AGP
the Abla Griffin Partnership L.L.C.

313 S. E. 5th Street
MOORE, OK. 73160
405.735.3477
AGP@theAGP.net
www.theAGP.net

FLAT LAND
CIVIL

KFC ENGINEERING
STRUCTURAL

SALAS O'BRIEN
MECHANICAL / ELECTRICAL

PROFESSIONAL ENGINEER — Kenneth Paul Wagner — OKLAHOMA — 11/02/26

KP
drawn by

KP
checked by

AUGUST 2026
date

REVISIONS

Δ	DESCRIPTION	DATE
1	ADDENDUM #1	09/25/2026
2	ADDENDUM #2	11/02/2026

MOORE PUBLIC SCHOOLS

MPS ASC
BOARDROOM
BUILDING

sheet no:

P110


Salas O'Brien

Salas O'Brien Inc. - Oklahoma City
2900 S. Telephone Road, Suite 120
Moore, OK 73160
CA#: 9820 Expiration Date: 06/30/27

Salas O'Brien Project Number: 2650-00986-00


OWNERSHIP USE OF DOCUMENTS:

AGP EXPRESSLY RESERVES ITS COPYRIGHT AND OTHER PROPERTY RIGHTS OF ALL PLANS AND DRAWINGS DESIGNED AND/OR PRODUCED. PLANS AND DRAWINGS ARE NOT TO BE REPRODUCED IN ANY FORM OR MANNER WITHOUT THE EXPRESSED WRITTEN CONSENT OF AGP.



2 PLUMBING ISOMETRICS - DOMESTIC WATER

Scale:



1 PLUMBING ISOMETRICS - WASTE & VENT

Scale: N.T.S.

AGP
the Abla Griffin Partnership L.L.C.

313 S. E. 5th Street
MOORE, OK. 73160
405.735.3477
AGP@theAGP.net
www.theAGP.net

FLAT LAND
CIVIL

KFC ENGINEERING
STRUCTURAL

SALAS O'BRIEN
MECHANICAL / ELECTRICAL



KP
drawn by

KP
checked by

AUGUST 2026
date

REVISIONS

Δ	DESCRIPTION	DATE
1	ADDENDUM #2	11/02/2026

MOORE PUBLIC SCHOOLS

MPS ASC
BOARDROOM
BUILDING

sheet no:

P301

Salas O'Brien

Salas O'Brien Inc. - Oklahoma City
2900 S. Telephone Road, Suite 120
Moore, OK 73160
CA#: 9820 Expiration Date: 06/30/27

Salas O'Brien Project Number: 2650-00986-00

OWNERSHIP USE OF DOCUMENTS:

AGP EXPRESSLY RESERVES ITS COPYRIGHT AND OTHER PROPERTY RIGHTS OF ALL PLANS AND DRAWINGS DESIGNED AND/OR PRODUCED. PLANS AND DRAWINGS ARE NOT TO BE REPRODUCED IN ANY FORM OR MANNER WITHOUT THE EXPRESSED WRITTEN CONSENT OF AGP.

SAFEROOM GENERAL NOTES


1. ALL PENETRATIONS OVER 3 1/2 SQUARE INCHES OR 2 1/16 INCHES IN DIAMETER IN/OUT OF SHELTER REQUIRE FEMA SHROUD. REFER TO STRUCTURAL FOR ALL SHROUD DETAIL.

GENERAL NOTES

1. COORDINATE INSTALLATION OF EQUIPMENT AND DUCTWORK WITH ALL TRADES.
2. COORDINATE LOCATION OF THERMOSTATS WITH E.C. ROUGH-IN BY E.C
3. ROUTE CONDENSATE TO NEAREST HUB DRAIN OR MOP SINK WITH A TRAP PRIMER. MAINTAIN A MINIMUM OF 1/4 IN. PER FOOT SLOPE IN DIRECTION OF DISCHARGE. COORDINATE WITH PC.
4. PLACE BALANCING DAMPERS ON ALL SUPPLY AND RETURN BRANCH DUCTS AS CLOSE AS POSSIBLE TO THE MAIN TRUNK. SEE DETAIL 2/M501 FOR ADDITIONAL INFORMATION.

MECHANICAL KEYED NOTES

1	LOUVER MOUNTED BEHIND INSULATED DOOR. COORDINATE WITH ARCHITECT AND GC.
2	FINAL HEIGHT OF LOUVER SHALL BE COORDINATED WITH SAFEROOM SHELTER PLAN.
3	PROVIDE 4" REINFORCED CONCRETE PAD. INSTALL UNIT IN ADHERENCE WITH MANUFACTURER'S SUGGESTED CLEARANCES. EXTEND CONCRETE PAD A MINIMUM OF 6" ON EACH SIDE OF UNIT. EXTEND BAD TO BUILDING. COORDINATE WITH GC AND ARCHITECT.
4	MOUNT LOUVER AT MINIMUM 1'-4" ABOVE GRADE.
5	MOUNT LOUVER AT 10'-0" ABOVE GRADE.
6	LOCATE GRILLE ABOVE TECHNOLOGY RACK.



N 1 **MECHANICAL PLAN**
Scale: 1/8" = 1'-0"

AGP
the Abla Griffin Partnership L.L.C.

313 S. E. 5th Street
MOORE, OK. 73160
405.735.3477
AGP@theAGP.net
www.theAGP.net

FLAT LAND
CIVIL

KFC ENGINEERING
STRUCTURAL

SALAS O'BRIEN
MECHANICAL / ELECTRICAL

PROFESSIONAL ENGINEER — Ginger McDonald — 30822 — 11/02/26

KF
drawn by

DG
checked by

AUGUST 2026
date

REVISIONS

Δ	DESCRIPTION	DATE
1	ADDENDUM #2	11/02/2026

MOORE PUBLIC SCHOOLS

MPS ASC
BOARDROOM
BUILDING


sheet no:

M101

Salas O'Brien
Salas O'Brien Inc. - Oklahoma City
2900 S. Telephone Road, Suite 120
Moore, OK 73160
CA#: 9820 Expiration Date: 06/30/27
Salas O'Brien Project Number: 2650-00986-00

OWNERSHIP USE OF DOCUMENTS:

AGP EXPRESSLY RESERVES ITS COPYRIGHT AND OTHER PROPERTY RIGHTS OF ALL PLANS AND DRAWINGS DESIGNED AND/OR PRODUCED. PLANS AND DRAWINGS ARE NOT TO BE REPRODUCED IN ANY FORM OR MANNER WITHOUT THE EXPRESSED WRITTEN CONSENT OF AGP.



POWER GENERAL NOTES

1. COORDINATE EXACT LOCATIONS OF DEVICES SHOWN WITH OTHER EQUIPMENT. COORDINATE EXACT LOCATION OF CEILING MOUNTED DEVICES WITH LIGHTS, HVAC EQUIPMENT, AND OTHER DEVICES.
2. COORDINATE WITH MECHANICAL CONTRACTOR AND PROVIDE ALL RELAYS, CONNECTIONS, AND ALL DEVICES NECESSARY TO INTERLOCK EXHAUST FANS, DAMPERS, ETC WITH PROPER CONTROL DEVICES.
3. COORDINATE EXACT LOCATION OF MECHANICAL EQUIPMENT WITH MECHANICAL CONTRACTOR. REFER TO MECHANICAL PLANS AND MANUFACTURER FOR ADDITIONAL INFORMATION.
4. COORDINATE EXACT LOCATION OF PLUMBING EQUIPMENT WITH PLUMBING CONTRACTOR. REFER TO PLUMBING PLANS AND MANUFACTURER FOR ADDITIONAL INFORMATION.
5. COORDINATE THE EXACT REQUIREMENTS OF ALL POWER CONNECTION FIXTURES AND DEVICES WITH THE ARCHITECT, OWNER AND MANUFACTURER PRIOR TO ROUGH-IN.
6. ALL RECEPTACLES LOCATED AT COUNTERTOP HEIGHT SHALL BE ORIENTED HORIZONTALLY.
7. FIRE STOP ALL PENETRATIONS IN FIRE AND SMOKE RATED WALLS. REFER TO ARCHITECTURAL PLANS FOR LOCATIONS AND ADDITIONAL INFORMATION.
8. REFER TO TECHNOLOGY PLANS FOR ADDITIONAL CONDUIT REQUIREMENTS.

SAFEROOM GENERAL NOTES

PER ICC 500-2014, 309.1:

PENETRATIONS THROUGH THE STORM SHELTER ENVELOPE THAT ARE LARGER THAN:
1. 3.5" SQUARE INCHES IN AREA FOR RECTANGULAR OPENINGS, OR
2. 2 1/16" IN DIAMETER
SHALL BE CONSIDERED AN OPENING AND SHALL BE PROVIDED WITH AN OPENING PROTECTIVE DEVICE (SHROUD). REFERENCE STRUCTURAL DRAWINGS FOR A SAMPLE SHROUD DETAIL. THIS INCLUDES PENETRATIONS FOR BUNDLES OF CONDUIT.

KEYED NOTES

1	PROVIDE DEDICATED 120V WATER COOLER CONNECTION. COORDINATE EXACT LOCATION AND REQUIREMENTS WITH ARCHITECT, OWNER, AND PLUMBING CONTRACTOR PRIOR TO ROUGH-IN. REFER TO WATER COOLER DETAIL ON DETAILS SHEET FOR MORE INFORMATION.
2	PROVIDE 120V CONNECTION FOR WATER CLOSET TRANSFORMER. COORDINATE EXACT LOCATION AND CONNECTION REQUIREMENTS WITH ARCHITECT AND PLUMBING CONTRACTOR PRIOR TO ROUGH-IN.
3	PROVIDE 120V CONNECTION FOR DISPLAY CASE. COORDINATE EXACT LOCATION AND REQUIREMENTS WITH ARCHITECT PRIOR TO ROUGH-IN.
4	PROVIDE 120V DEDICATED CONNECTION FOR TV. COORDINATE WITH OWNER AND ARCHITECT FOR EXACT LOCATION AND REQUIREMENTS PRIOR TO BEGINNING WORK.
5	PROVIDE 3/4" CONDUIT FOR WIRELESS HOLD UP BUTTON & TRANSMITTER. REFER TO TECHNOLOGY PLANS FOR ADDITIONAL INFORMATION. COORDINATE EXACT LOCATION AND REQUIREMENTS WITH TECHNOLOGY CONTRACTOR AND OWNER PRIOR TO BEGINNING WORK.
6	PROVIDE (2) 1 1/4" CONDUITS FOR FLOOR BOX. REFER TO TECHNOLOGY PLANS FOR ADDITIONAL INFORMATION. COORDINATE EXACT LOCATION AND REQUIREMENTS WITH TECHNOLOGY CONTRACTOR AND OWNER PRIOR TO BEGINNING WORK.
7	PROVIDE 120V DEDICATED CONNECTION FOR INTRUSION DETECTION SYSTEM CONTROL PANEL. REFER TO TECHNOLOGY PLANS FOR ADDITIONAL INFORMATION. COORDINATE EXACT LOCATION AND REQUIREMENTS WITH TECHNOLOGY CONTRACTOR AND OWNER PRIOR TO BEGINNING WORK.
8	PROVIDE 120V DEDICATED CONNECTION FOR FIRE ALARM CONTROL PANEL. REFER TO TECHNOLOGY PLANS FOR ADDITIONAL INFORMATION. COORDINATE EXACT LOCATION AND REQUIREMENTS WITH TECHNOLOGY CONTRACTOR AND OWNER PRIOR TO BEGINNING WORK.
9	PROVIDE 120V DEDICATED CONNECTION FOR ACCESS CONTROL PANEL. REFER TO TECHNOLOGY PLANS FOR ADDITIONAL INFORMATION. COORDINATE EXACT LOCATION AND REQUIREMENTS WITH TECHNOLOGY CONTRACTOR AND OWNER PRIOR TO BEGINNING WORK.
10	PROVIDE 120V DEDICATED CONNECTION FOR TRAP PRIMER. COORDINATE WITH PLUMBING CONTRACTOR AND ARCHITECT FOR EXACT LOCATION AND REQUIREMENTS PRIOR TO BEGINNING WORK.
11	PROVIDE (2) 120V RECEPTACLES UNDER LAVATORY DECK. COORDINATE WITH PLUMBING CONTRACTOR AND ARCHITECT FOR EXACT LOCATION AND REQUIREMENTS PRIOR TO BEGINNING WORK.
12	PROVIDE 120V DEDICATED CONNECTION FOR TRAP PRIMER. COORDINATE WITH PLUMBING CONTRACTOR AND ARCHITECT FOR EXACT LOCATION AND REQUIREMENTS PRIOR TO BEGINNING WORK.
13	MOUNT RECEPTACLE ON PLATFORM WALL. COORDINATE EXACT LOCATION AND REQUIREMENTS WITH ARCHITECT & TECHNOLOGY CONTRACTOR PRIOR TO BEGINNING WORK.
14	MOUNT RECEPTACLE UNDERNEATH DESK. COORDINATE EXACT LOCATION AND REQUIREMENTS WITH ARCHITECT & TECHNOLOGY CONTRACTOR PRIOR TO BEGINNING WORK.
15	PROVIDE 120V CONNECTION FOR DAS SYSTEM. COORDINATE WITH TECHNOLOGY CONTRACTOR FOR EXACT REQUIREMENTS AND LOCATION. LOCATION SHOWN IS A PLACEHOLDER ONLY.
16	SECONDARY SERVICE ENTRANCE FEEDERS SHALL RUN BELOW GRADE TO NEW 'MDP'. COORDINATE EXACT ROUTING AND REQUIREMENTS WITH ARCHITECT PRIOR TO BEGINNING WORK.

1 ELECTRICAL POWER PLAN

Scale: 1/8" = 1'-0"

AGP
the Abla Griffin Partnership L.L.C.

313 S. E. 5th Street
MOORE, OK. 73160
405.735.3477
AGP@theAGP.net
www.theAGP.net

FLAT LAND
CIVIL

KFC ENGINEERING
STRUCTURAL

SALAS O'BRIEN
MECHANICAL / ELECTRICAL



DWG, JM
drawn by

TVO
checked by

AUGUST 2026
date

REVISIONS

Δ	DESCRIPTION	DATE
1	ADDENDUM #1	09/25/2026
2	ADDENDUM #2	11/02/2026

MOORE PUBLIC SCHOOLS

MPS ASC
BOARDROOM
BUILDING

sheet no:

E201

Salas O'Brien
Salas O'Brien Inc. - Oklahoma City
2900 S. Telephone Road, Suite 120
Moore, OK 73160
CA#: 9820 Expiration Date: 06/30/27
Salas O'Brien Project Number: 2650-00986-00

OWNERSHIP USE OF DOCUMENTS:

AGP EXPRESSLY RESERVES ITS COPYRIGHT AND OTHER PROPERTY RIGHTS OF ALL PLANS AND DRAWINGS DESIGNED AND/OR PRODUCED. PLANS AND DRAWINGS ARE NOT TO BE REPRODUCED IN ANY FORM OR MANNER WITHOUT THE EXPRESSED WRITTEN CONSENT OF AGP.

DIVISION 10 - SPECIALTIES

SECTION 10110 - RECESSED TROPHY CASES – ADDENDUM NO. 2

Part 1 - General

1.01 Work Included:
- A. All materials, labor, services and incidentals necessary for the completion of this section of the work.

1.02 Quality Assurance:
- A. Standards:
  1. ASTM-E84
  2. ASTM-B221

1.03 Submittals:
- A. Shop Drawings: Provide dimensioned shop Drawings indicating location, type, size, rough-in opening size and requirements, mounting details, trim, and accessories, for specified units.
- B. Submit manufacturer’s samples of finishes and materials.

Part 2 - Products

2.01 Materials:
- A. Recessed Display Cases:
  1. Type: Factory-built unit.
  2. Size: two units each - 6'-0" high x 10'-0" wide.
  2. Trim: Provide an Aluminum front with super-heavy clear anodized aluminum frame, 4" wide face with mitered corners for rigidity.
  3. Sliding Doors: at 10'-0" unit provide three (3) tempered glass doors, locks, and keys.
  4. Shelving: Three (3) 12" deep adjustable glass shelves with standards and brackets. Provide one set of three at each door panel (6 total).
  5. Back Panels: Provide tackable back panels in Fabricork.
  6. Provide walnut finish at top, bottom, and ends.
  7. **Note: LED Lights and wiring are to be provided by electrical.**
  8. Acceptable Manufacturer: Claridge 390 / 395 Series Display Case with sliding doors.
  9. Interior box colors to be selected by Architect from mfr’s standard colors.

Part 3 - Execution

3.01 Installation:
- A. Install units straight, plumb, and level according to manufacturer’s directions. Refer to Drawings.
- B. Care is to be taken to protect cases from damage. Replace

any scuffed, scratched, or otherwise damaged parts prior to final acceptance by Architect.

C. Remove any packaging materials from project. Clean entire case inside and out in accordance with manufacturer's recommendations.

End of Section

DIVISION 10 - SPECIALTIES

SECTION 10420 - LETTERS AND PLAQUES – ADDENDUM NO. 2

Part 1 General

1.01 Work Included:
A. All materials, labor, services, and incidentals necessary for the completion of this entire section of the work.

1.02 Submittals:
A. Shop Drawings: Indicate details and dimensions of fabrication and installation including layouts and assemblies. Begin fabrication only after receiving approved shop Drawings.
B. Manufacturer's Literature: Descriptive literature and installation instructions.

1.03 Product Delivery, Storage, and Handling:
A. Handle and store all items with care to prevent damage and injury to finish surfaces.

Part 2 - Products

2.01 Cast Letters at exterior / interior locations:
A. Finish / Color: **CLEAR ANODIZED ALUMINUM.**
B. Letter Style: **OPTIMA FONT.**
C. Size: height – see below.
D. Mounting: coordinate with Architect.
E. Quantity: Sufficient letters to spell out the following (quantities in parentheses):

Exterior Locations –

New wall sign at 4th Street with cast letters, refer to new Sheet C902.

1. Provide letters at each side of wall to spell out **DR. ROBERT A. ROMINES** (8" TALL / WALL MOUNTED)
2. Provide letters at each side of wall to spell out **ADMINSTRATION SERVICES CENTER** (8" TALL / WALL MOUNTED)
3. Provide at each side a cast Moore Public Schools' **logo** with **MOORE PUBLIC SCHOOLS** below logo, refer to drawings (WALL MOUNTED). Coordinate with Architect and Owner.
4. Provide letters / numbers at each side of wall to spell out **1500 SOUTHEAST 4TH STREET** (4" TALL / WALL MOUNTED)

Interior Locations –

1. **BOARDROOM** (X 1 / 12" TALL / WALL MOUNTED) locate above boardroom entry Door #8 at Room #2.
2. **MOORE PUBLIC SCHOOLS** (x 1 / WALL MOUNTED) locate on curved wall behind Boardroom Platform desks / seating at Room #6. Refer to drawings.

F. Verify exact spelling / punctuation with Architect.

G. Location: refer to the Drawings and coordinate with Architect. Acceptable Manufacturer: A.R.K. Ramos, Oklahoma City.

2.01 Cast Metal Plaque at interior location:

A. Castings shall be free from pits, scale, sand holes, or other defects. Comply with requirements specified for metal, border style, background texture, and finish, and with requirements shown for thickness, size, shape, and copy. Hand-tool and buff borders and raised copy to produce the manufacturer's standard satin polished finish. Coordinate final design with Architect.

1. Metal: aluminum.
2. Border Style: Type 504.
3. Background Texture: manufacturer's standard No. 2 black pebble texture.
4. Letter Style: Helvetica upper case – raised satin aluminum finish.
5. Mounting Method: No. 4 concealed fasteners.
6. Finish: manufacturer's satin aluminum finish.
7. Size: 20 inches wide x 24 inches high.
8. Content:

NEW DR. ROBERT A. ROMINES BOARD OF EDUCATION CENTER
MOORE PUBLIC SCHOOLS

SUPERINTENDENT OF SCHOOLS:
DR. ROBERT ROMINES

BOARD OF EDUCATION:

STACI PRUETT	PRESIDENT
MATT PURSER	VICE PRESIDENT
ERIN MORRISON	MEMBER
MANDY KINCANNON	MEMBER
JENNY NGUYEN-STATLER	MEMBER

BOND CONSULTANT:
JEFF HORN

ARCHITECT:
AGP – THE ABLA GRIFFIN PARTNERSHIP LLC
MOORE, OKLAHOMA

CONTRACTOR:
OMNI CONSTRUCTION LLC

9. Type Example: ARK-Ramos Manufacturing Company, Inc.

Part 3 - Execution

3.01 Installation:

A. Install units plumb and level in locations indicated on the Drawings, following manufacturer's recommendations.

B. Provide all necessary accessories: Items to support or attach metal letters to result in a complete installation.

C. Protect all finishes to prevent damage before, during and after installation.

End of Section

OMNI CONSTRUCTION

P. O. Box 892245 • OKC, OK 73189
OFFICE: 405-735-3992 • CELL: 405-570-7881

ASC BOARD ROOM
1500 SE 4th St.
Moore, OK 73160
Addendum #2

1.) Added Bid Package #19 Wood Framing-Rough Carpentry

ASC BOARDROOM

1500 SE 4th St.

Moore, OK 73160

Summary of Work / Bid Packages

BID PACKAGE #19: Wood Framing-Rough Carpentry

- **This bid package shall include all labor, materials, equipment, services, insurances, and incidentals required to complete the Finishes (Ceiling System) work as specified by the drawings and specifications including the following:**

SECTIONS:

• **Division 0**	**Bidding & Contract Documents**	
• **Division 1**	**General Requirements**	
• **Section 06100**	**Rough Carpentry**	**As applicable to this bid package**
• **Section 06200**	**Finish Carpentry**	**As Applicable to this bid package**

THIS SCOPE OF WORK SHALL INCLUDE BUT NOT LIMITED TO:

- **The subcontractor is to ensure that all elevated work areas are made ready to protect all areas below and have OSHA approved fall protection for work to proceed.**
- **The subcontractor is responsible for the daily clean-up of all waste & trash generated by their work.**
- **The subcontractor is responsible for reviewing ALL PLAN SHEETS, PLAN NOTES, AND SPECIFICATIONS for any and all information pertaining to this scope of work.**
- **The subcontractor is to include all materials for the construction of the platform system, Including ramps & stairs. Flooring to be provided by others**