



**MOORE PUBLIC SCHOOLS -
CENTRAL JUNIOR HIGH SCHOOL –
STEM CLASSROOM ADDITION**
Moore Public Schools - Moore, Oklahoma
AGP - Moore, Oklahoma

CONSTRUCTION BULLETIN NO. 3
September 5, 2025

1. CLARIFIED / UPDATED DA-MAP AND DRAINAGE CALCULATIONS AS PER ATTACHED REVISED SHEETS C4.03 AND C4.05.

END OF CONSTRUCTION BULLETIN NO. 3



PROJECT:
CENTRAL JUNIOR HIGH CLASSROOM ADDITION
400 N. BROADWAY ST. MOORE, OKLAHOMA
 PROJECT NUMBER: 25031
 DRAWING DATE: 06.02.25
 ISSUE DATE: 06.02.25

SEAL:

SUBMITTAL:
PERMIT SET

REVISIONS:


MARK	DATE	DESCRIPTION
A	09.05.25	CB 3

THESE PLANS AND DRAWINGS ARE NOT TO BE REPRODUCED, CHANGED OR COPIED IN ANY FORM OR MANNER WHATSOEVER WITHOUT FIRST OBTAINING THE WRITTEN PERMISSION AND CONSENT OF CEDAR CREEK CONSULTING INC. THIS SHEET IS NOT TO BE USED FOR CONSTRUCTION UNLESS THE ISSUE DATE IN THE TITLE BLOCK COINCIDES WITH OR POST DATES THE DRAWING DATE. ANY CHANGES MADE FROM THESE PLANS WITHOUT CONSENT OF CEDAR CREEK CONSULTING INC. ARE UNAUTHORIZED AND SHALL RELIEVE CEDAR CREEK CONSULTING OF RESPONSIBILITY FOR ALL CONSEQUENCES ARISING OUT OF SUCH CHANGES.



DRAWING TITLE:

DRAINAGE CALCULATIONS							
DRAINAGE AREA	AREA (AC)	C VALUE	TC (MIN)	I5	I100	Q5	Q100
DA-1	0.63	0.9	5	7.3	13.3	4.14	7.54
DA-2	0.25	0.9	5	7.3	13.3	1.64	2.99
DA-3	0.38	0.9	5	7.3	13.3	2.50	4.55
DA-4	0.31	0.9	5	7.3	13.3	2.04	3.71
DA-5	0.30	0.9	5	7.3	13.3	1.97	3.59
RD-1	0.16	0.9	5	7.3	13.3	1.05	1.92
RD-2	0.10	0.9	5	7.3	13.3	0.66	1.20
RD-3	0.12	0.9	5	7.3	13.3	0.79	1.44
RD-4	0.12	0.9	5	7.3	13.3	0.79	1.44

INTENSITY TAKEN FROM NOAA ATLAS 14




DA-MAP
 SHEET:
C4.03




PRIVATE STORM SEWER LINE 1A PLAN
 SCALE: 1" = 20'

- 1-1 STA 10+00.00 LINE 1A
 = STA 11+37.13 LINE 1
 CONST. (1) 5' DIA. STORM MANHOLE
 TOP = 1246.16
 FL 36" = 1241.15
 FL 30" = 1241.69
 FL 18" = 1242.67
- 1A-1 STA 10+07.77 LINE 1A
 = STA 11+37.13 LINE 1
 CONST. (1) CITY OF OKC DES 2-0
 GRATED CURB INLET
 TG = 1245.51
 FL 18" = 1242.75
- 1A-2 STA 10+44.49 LINE 1A
 CONST. (1) CITY OF OKC DES 2-0
 GRATED CURB INLET
 TG = 1246.19
 FL 18" = 1242.95




PRIVATE STORM SEWER LINE 1B PLAN
 SCALE: 1" = 20'

- 1-2 STA 10+00.00 LINE 1B
 = STA 13+11.24 LINE 1
 CONST. (1) 4' X 4' JUNCTION BOX
 TOP = 1248.24
 FL 30" = 1242.52
 FL 24" = 1243.06
 FL 18" = 1243.55
- 1B-1 STA 10+07.75 LINE 1B
 CONST. (1) CITY OF OKC DES 2-0
 GRATED CURB INLET
 TG = 1247.59
 FL 18" = 1243.63
- 1B-2 STA 10+44.94 LINE 1B
 CONST. (1) CITY OF OKC DES 2-0
 GRATED CURB INLET
 TG = 1248.25
 FL 18" = 1243.83





PRIVATE STORM SEWER LINE 1C PLAN
 SCALE: 1" = 20'

- 1-3 STA 10+00.00 LINE 1C
 = STA 14+29.67 LINE 1
 CONST. (1) 4' X 4' JUNCTION BOX
 STUB EX. 18" RCP INTO PROP.
 STRUCTURE
 FL 24" = 1243.64
 FL EX. 18" = 1245.23
 FL 18" = 1244.15
- 1C-1 STA 10+00.00 LINE 1C
 = STA 14+29.67 LINE 1
 CONST. (1) CITY OF OKC DES 2-0
 GRATED CURB INLET
 TG = 1247.93
 FL 18" = 1244.25




PROJECT:
CENTRAL JUNIOR HIGH CLASSROOM ADDITION
 400 N. BROADWAY ST. MOORE, OKLAHOMA
 PROJECT NUMBER: 25031
 DRAWING DATE: 06.02.25
 ISSUE DATE: 06.02.25


- NOTES:
- REFER TO PLAN VIEW FOR SPOT ELEVATIONS
 - FILL SHALL BE COMPACTED TO 95% STANDARD PROCTOR DENSITY.
 - ALL STATIONING FOR CURB INLETS ARE PLACED AT FACE OF CURB UNLESS OTHERWISE NOTED.
 - CONTRACTOR SHALL FIELD LOCATE AND VERIFY UTILITY CROSSINGS PRIOR TO CONSTRUCTION.



PRIVATE STORM SEWER LINE 1A PROFILE
 SCALE:
 HORIZ: 1" = 20'
 VERT: 1" = 2'



PRIVATE STORM SEWER LINE 1B PROFILE
 SCALE:
 HORIZ: 1" = 20'
 VERT: 1" = 2'



PRIVATE STORM SEWER LINE 1C PROFILE
 SCALE:
 HORIZ: 1" = 20'
 VERT: 1" = 2'

SUBMITTAL:
PERMIT SET

REVISIONS:
 09.05.25 CB 3

THESE PLANS AND DRAWINGS ARE NOT TO BE REPRODUCED, CHANGED OR COPIED IN ANY FORM OR MANNER WHATSOEVER WITHOUT FIRST OBTAINING THE WRITTEN PERMISSION AND CONSENT OF CEDAR CREEK CONSULTING INC. THIS SHEET IS NOT TO BE USED FOR CONSTRUCTION UNLESS THE ISSUE DATE IN THE TITLE BLOCK COINCIDES WITH OR POST DATES THE DRAWING DATE. ANY CHANGES MADE FROM THESE PLANS WITHOUT CONSENT OF CEDAR CREEK CONSULTING INC. ARE UNAUTHORIZED AND SHALL RELIEVE CEDAR CREEK CONSULTING OF RESPONSIBILITY FOR ALL CONSEQUENCES ARISING OUT OF SUCH CHANGES.

DRAWING TITLE:
PRIVATE STORM SEWER LINE 1A, 1B, AND 1C PLAN & PROFILE

SHEET:
C4.05