CEILING FINISH SCHEDULE

MARK	DESCRIPTION
CEILINGS	
ACT-1	2'x4' ARMSTRONG FINE FISSURED #1729 LAY-IN CEILING PANELS W/ PRELUDE ML 15/16" GRID SYSTEM COLOR: WHITE GRID: WHITE OR APPROVED EQUAL
ACT-2	2'x4' ARMSTRONG SUSPENDED VINYL FACED GYP. BD. W/ T-BAR GRID AT KITCHEN AREAS OR PROVIDE EQUAL USG PRODUCT
GYP-1	GYPSUM WALLBOARD PAINT WHITE WITH SEMI-GLOSS FINISH

CEILING LEGEND

ACT-1: 2x4 SUSPENDED CEILING TILE

ACT-2: 2x4 SUSPENDED VINYL FACED GYP BD

GYP-1: GYPSUM WALLBOARD PAINT WHITE WITH SEMI-GLOSS FINISH

REFLECTED CEILING PLAN NOTES

1. STUDY & COMPARE THE REFLECTED CEILING PLANS WITH THE MECH & ELEC DRAWINGS FOR LUMINARIES, DIFFUSERS, & GRILLES. REPORT TO THE ARCHITECT ANY ERROR, INCONSISTENCY, OR OMISSION DISCOVERED.
2. IN THE EVENT OF INCONSISTENCIES BETWEEN ARCHITECTURAL & CONSULTANT PLANS, THE ARCHITECTURAL SHEET SHALL TAKE PRECEDENCE. REPORT DISCREPANCIES PRIOR TO PROCEEDING WITH AFFECTED WORK.
3. VERIFY & PROVIDE ACCESS PANELS OF APPROPRIATE SIZE & TYPE ARE INSTALLED IN GYPSUM BOARD CEILINGS/ SOFFITS OR ANY OTHER NON-ACCESSIBLE TYPE CEILINGS OR SOFFITS WHERE ACCESS, SERVICE OR ADJUSTMENT TO MEP ITEMS MAY BE REQUIRED.
4. ALL DIFFUSERS & ACCESS PANELS TO MATCH ADJACENT CEILING SURFACE. CONFIRM FINAL SELECTIONS WITH OWNER/ARCHITECT.
5. SPRINKLER HEADS, DIFFUSERS, INCANDESCENT LUMINARIES, & OTHER SURFACE-MOUNTED OR RECESSED CEILING ITEMS SHALL BE LOCATED IN THE CENTER OF THE CEILING PANELS, UNLESS NOTED OTHERWISE.
6. SEE MECHANICAL & ELECTRICAL DWGS FOR INFO & SPEC CONCERNING FIXTURES SHOWN ON THIS PLAN.
7. ANY LIGHT NOT DIMENSIONALLY LOCATED TO BE CENTERED IN THE CEILING TILE, CEILING AREA, OR ROOM AS APPLICABLE. ALL "CAN" TYPE FIXTURES TO BE MOUNTED IN THE CENTER OF THE CEILING TILES UNLESS NOTED OTHERWISE.
8. NEW FIRE ALARM SYSTEM TO BE INSTALLED PER NEW CONFIGURATION REQUIREMENTS & TO COMPLY WITH ALL LOCAL CODES & BUILDING REQUIREMENTS.
9. ALL PENDANT & HIGH-BAY LIGHT FIXTURES TO BE SUSPENDED FROM ALLTHREAD & UNISTRUT AT 12" BELOW BOTTOM OF ROOF JOISTS U.N.O. EXPOSED ALLTHREAD & UNISTRUT TO BE PAINTED BLACK.
10. COORDINATE WITH OWNER'S VENDOR/REP FOR SECURITY SYSTEM REQUIREMENTS.
11. CENTER ACOUSTIC CEILING SYSTEM GRID WITHIN EACH ROOM, UNLESS NOTED OTHERWISE.
12. NO CUT TILES LESS THAN 3".
13. SEE MECHANICAL AND ELECTRICAL SHEETS FOR HVAC DEVICE AND LIGHT FIXTURE SPECIFICATIONS.
14. CONCEALED INSULATION TO HAVE A FLAME SPREAD RATING OF 25 OR LESS & A SMOKE DEVELOPMENT RATING OF 450 OR LESS PER IBC 720.2
15. MATERIALS WITHIN PLENUMS SHALL BE NONCOMBUSTIBLE OR SHALL BE IN COMPLIANCE WITH THE APPLICABLE REQUIREMENTS IN SECTIONS 602.3.1 THROUGH 602.3.10 PER IMC 602.3.
16. SEE ELECTRICAL DRAWINGS FOR SWITCHING AND CIRCUIT INFORMATION.
17. COORDINATE FINAL LIGHTING FIXTURE AND HVAC DEVICE LOCATION WITH ELECTRICAL AND MECHANICAL DRAWINGS.
18. ALL CEILING HEIGHTS AND MATERIALS EXISTING & NEW TO BE VERIFIED IN THE FIELD BY THE G.C.

FIRE SPRINKLER NOTE
FIRE SPRINKLERS ARE A DEFERRED SUBMITTAL. FIRE SPRINKLER CONTRACTOR TO PROVIDE CAGES ABOVE ALL SPORT COURTS, I.E. BASKETBALL & DODGEBALL, ETC. SPRINKLER CONTRACTOR TO COORDINATE W/ OWNER FOR ADDITIONAL CAGE LOCATIONS.

1 REFLECTED CEILING PLAN
SCALE: 1/8" = 1'-0"

LIGHT FIXTURE LEGEND

L2 RECESSED CAN DOWNLIGHT
MANUFACTURER: HALO
MODEL: LTC608FS5B

L3 6" SHALLOW CYLINDER LED
MANUFACTURER: PORTFOLIO
MODEL #: LERS6C-30-D010-EC4/6C-3035-9730-6L9-SC3-SMRCC6P

L4 2x4 RECESSED LED FLAT PANEL
MANUFACTURER: METALUX
MODEL #: 24CGT4540C
PROVIDE "EW10LCP" FOR EMERGENCY FIXTURES

L5 2x4 RECESSED LED FLAT PANEL
MANUFACTURER: METALUX
MODEL #: 24CGT5540C
PROVIDE "EW10LCP" FOR EMERGENCY FIXTURES

L6 SUSPENDED HIGH-BAY LIGHT FIXTURE
MANUFACTURER: METALUX
MODEL #: LHBS-1824-UNV-L84050-U

L7 2x4 LED TROFFER
MANUFACTURER: METALUX
MODEL: 24GR-S4-G-2-LD5-4200-F1-UNV-L840-CD
PROVIDE SUSPENDED MOUNTING KIT

COM EMERGENCY EGRESS EXIT SIGN COMBO
MANUFACTURER: SURELITES
MODEL: APC7RG

E1 LED EMERGENCY EGRESS
MANUFACTURER: SURELITES
MODEL: APEL

E2 EXIT SIGN (DIRECTIONAL)
MANUFACTURER: SURELITES
MODEL: APX7RG

E3 EXTERIOR EMERGENCY EGRESS
MANUFACTURER: SURELITES
MODEL: APX7RG

Apogee Architectural Partners
A Spirit Led Company
16775 ADDISON ROAD, SUITE 500
ADDISON, TX 75001
PH: (469) 960-2322

PLANS, MAPS, SPECIFICATIONS, STUDIES AND REPORTS NOT CONTAINING A SEAL IMPRINT ACCOMPANIED BY AN ORIGINAL SIGNATURE BY THE LICENSED PROFESSIONAL MAY HAVE BEEN FRAUDULENTLY ALTERED AND SHALL NOT BE CONSIDERED AN ORIGINAL COPY. ALL INFORMATION SHOULD BE DISREGARDED UNLESS VERIFIED BY THE PROFESSIONAL WHOSE SIGNATURE APPEARS BELOW.
COPYRIGHT PROTECTED
© 2025

ISSUE RECORD

DESCRIPTION	DATE
ISSUE FOR PERMIT	06/22/2026

REVISION RECORD

NO	DATE	REVISION

PROFESSIONAL SEAL

STATE OF OKLAHOMA
KEVIN HENRICKSON
No. A4782
DALLAS, TEXAS
LICENSED ARCHITECT

06/22/26

REMODEL

PROJECT NAME

1100 W. MAIN ST.
NORMAN, OK 73069

PROJECT NUMBER
26-0061

SHEET TITLE
REFLECTED CEILING PLAN

SHEET NUMBER
A131